

Version 4.0	Revision Date 07/17/2018	Print Date 06/14/2019

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	BCL CHERRY FOAM MASTER HYPER 5GL
Material number	:	00000000030005225
Manufacturer or supplier's o	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

## Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

### Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	liquid
Colour	blue
Odour	characteristic

#### **GHS Classification**

Flammable liquids Acute toxicity (Oral) Skin irritation Eye irritation Respiratory sensitisation Skin sensitisation	<ul> <li>Category 4</li> <li>Category 4</li> <li>Category 2</li> <li>Category 2A</li> <li>Category 1</li> <li>Category 1</li> </ul>
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H227 Combustible liquid.</li> <li>H302 Harmful if swallowed.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> </ul>



Version 4.0	Revision Date 07/17/2018	Print Date 06/14/2019
	H334 May cause allergy or asthed difficulties if inhaled.	ma symptoms or breathing
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot and other ignition sources. No su P261 Avoid breathing dust/ fume P264 Wash skin thoroughly afte P270 Do not eat, drink or smoke P272 Contaminated work clothin the workplace.</li> <li>P280 Wear protective gloves/ ey P285 In case of inadequate vent protection.</li> <li>Response:</li> <li>P301 + P312 + P330 IF SWALL CENTER/doctor if you feel unwe P302 + P352 IF ON SKIN: Wash P304 + P341 IF INHALED: If bre victim to fresh air and keep at re breathing.</li> <li>P305 + P351 + P338 IF IN EYES for several minutes. Remove con easy to do. Continue rinsing.</li> <li>P333 + P313 If skin irritation or n advice/ attention.</li> <li>P337 + P313 If eye irritation pers attention.</li> <li>P342 + P311 If experiencing res POISON CENTER/doctor.</li> <li>P362 Take off contaminated clob P370 + P378 In case of fire: Use alcohol-resistant foam to extingu Storage:</li> <li>P403 + P235 Store in a well-ven Disposal:</li> <li>P501 Dispose of contents/contal regulation.</li> </ul>	moking. e/ gas/ mist/ vapours/ spray. r handling. e when using this product. ng should not be allowed out of ye protection/ face protection. tilation wear respiratory OWED: Call a POISON ell. Rinse mouth. n with plenty of water. eathing is difficult, remove est in a position comfortable for S: Rinse cautiously with water ntact lenses, if present and rash occurs: Get medical sists: Get medical advice/ spiratory symptoms: Call a thing and wash before reuse. e dry sand, dry chemical or uish.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
sodium dodecylbenzenesulfonate	25155-30-0	>= 10 - < 20
2-butoxyethanol	111-76-2	>= 5 - < 10
Sulfonic acids, C14-16-alkane hydroxy and C14-	68439-57-6	>= 5 - < 10
16-alkene, sodium salts		
Sodium lauryl ether sulfate	9004-82-4	>= 3 - < 5
1-methoxypropan-2-ol	107-98-2	>= 1 - < 3
sodium xylenesulphonate	1300-72-7	>= 1 - < 3



rsion 4.0	Revision Date 07/17/2018	Print Date 06/14/2019
benzaldehyde	100-52-7	>= 0.1 - < 1
glutaral	111-30-8	>= 0.1 - < 1
1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice	:	Move the victim to fresh air. Do not leave the victim unattended. Call a physician or poison control centre immediately.
If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention.
In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes. Wash contaminated clothing before re-use. Call a physician if irritation develops or persists.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Seek medical advice.
If swallowed	:	Never give anything by mouth to an unconscious person. Keep respiratory tract clear. Consult a physician if necessary. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give milk or alcoholic beverages.
Most important symptoms and effects, both acute and delayed	:	Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of airway. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions. Effects are dependent on exposure (dose, concentration, contact time).
		Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Review section 2 of SDS to see all potential hazards.
Notes to physician		Treat symptomatically. Symptoms may be delayed.



Version 4.0

Revision Date 07/17/2018

Print Date 06/14/2019

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Dry chemical Water mist Alcohol-resistant foam Carbon dioxide (CO2)	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wate courses.	۶r
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	<ul> <li>Collect contaminated fire extinguishing water separately. Th must not be discharged into drains.</li> <li>Cool containers/tanks with water spray.</li> </ul>	nis
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.	

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Wear respiratory protection. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> <li>Try to prevent the material from entering drains or water courses.</li> </ul>
Methods and materials for containment and cleaning up	<ul> <li>Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).</li> <li>Sweep up and shovel into suitable containers for disposal.</li> </ul>

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling
- : Do not get in eyes or mouth or on skin.



Version 4.0	Revision Date 07/17/2018	Print Date 06/14/2019
	allergies, chronic or recurrent r be employed in any process in used.	hist. of in use. rdance with local and national nsitisation problems or asthma, espiratory disease should not which this mixture is being and/or exhaust in work rooms.
Conditions for safe storage	<ul> <li>Keep container tightly closed in place.</li> <li>Containers which are opened in kept upright to prevent leakage Observe label precautions.</li> <li>Electrical installations / working the technological safety standa No smoking.</li> </ul>	nust be carefully resealed and e. g materials must comply with
Materials to avoid	: Oxidizing agents	
Storage temperature	: < 50 °C	

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
		PEL	20 ppm 97 mg/m3	CAL PEL
1-methoxypropan-2-ol	107-98-2	TWA	50 ppm	ACGIH
••••		STEL	100 ppm	ACGIH
		ST	150 ppm 540 mg/m3	NIOSH REL
		TWA	100 ppm 360 mg/m3	NIOSH REL
		TWA	100 ppm 360 mg/m3	OSHA P0
		STEL	150 ppm 540 mg/m3	OSHA P0
		PEL	100 ppm 360 mg/m3	CAL PEL



/ersion 4.0	Revision	Revision Date 07/17/2018		Print Date 06/14/2019		
		STEL	150 ppm 540 mg/m3	CAL PEL		
benzaldehyde	100-52-7	TWA	2 ppm	US WEEL		
		STEL	4 ppm	US WEEL		
glutaral	111-30-8	С	0.2 ppm 0.8 mg/m3	NIOSH REL		
		С	0.2 ppm 0.8 mg/m3	OSHA P0		
		С	0.05 ppm 0.2 mg/m3	CAL PEL		

### **Biological occupational exposure limits**

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-BUTOXYETHANOL	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200.mg/g Creatinine	ACGIH BEI

Engineering measures	: effective ventilation in all processing areas
----------------------	---

### Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Material Remarks		Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Chemical resistant goggles must be worn. Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

## SAFETY DATA SHEET



## **BCL CHERRY FOAM MASTER HYPER 5GL**

Version 4.0	Revision Date 07/17/2018	Print Date 06/14/2019
Colour	: blue	
Odour	: characteristic	
Odour Threshold	: No data available	
рН	: 8-9	
Melting point/freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Evaporation rate	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 1.032 - 1.072 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Extremes of temperature and direct sunlight. Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides Sulphur oxides



Version 4.0

Revision Date 07/17/2018

Print Date 06/14/2019

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

	Aggravated Medical Condition	: None known.
	Symptoms of Overexposure	: Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include difficulty breathing, coughing, wheezing, throat irritation, and tightness/closure of airway.
		Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.
		Effects are dependent on exposure (dose, concentration, contact time).
	Carcinogenicity:	
	IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
	ACGIH	Confirmed animal carcinogen with unknown relevance to humans 2-butoxyethanol 111-76-2
	OSHA	ethanol 64-17-5 No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
	NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acu	te toxicity	
	Product:	
	Acute oral toxicity	: Acute toxicity estimate : 1,753 mg/kg Method: Calculation method
	Acute inhalation toxicity	: Acute toxicity estimate : 59.46 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
	Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
	Components:	
	sodium dodecylbenzenesulf Acute oral toxicity	onate: : LD50 Oral Rat: 438 mg/kg
	2-butoxyethanol:	



Version 4.0	Revision Date 07/17/2018	Print Date 06/14/2019
Acute oral toxicity	: LD50 Oral Rat: 880 mg/kg	
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Irritating to skin.		
Serious eye damage/eye irritati	ion	
Product:		
Remarks: Irritating to eyes.		
Respiratory or skin sensitisation	on	
Product:		
Remarks: Causes sensitisat	ion.	
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data availab		

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

<u>Components:</u> 1,2-benzisothiazol-3(2H)-one :



Version 4.0	Revision Date 07/17/2018	Print Date 06/14/2019
Toxicity to fish	: 0.8 mg/l	
Toxicity to daphnia and other aquatic invertebrates	: 4.4 mg/l	
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> 1-methoxypropan-2-ol :	: Remarks: No data available	
Partition coefficient: n- octanol/water benzaldehyde :	: Pow: < 1	
Partition coefficient: n- octanol/water glutaral :	: Pow: 1.48	
Partition coefficient: n- octanol/water	: Pow: 0.36	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environment Stratospheric Ozone - CAA Sectio Substances	-
Remarks	This product neither contains, nor with a Class I or Class II ODS as o Clean Air Act Section 602 (40 CFF + B).	lefined by the U.S.
Additional ecological information	: An environmental hazard cannot be event of unprofessional handling caquatic life.	

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Dispose of in accordance with local regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.</li> </ul>
Contaminated packaging	: Empty remaining contents.



Version 4.0	Revision Date 07/17/2018

Print Date 06/14/2019

Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

#### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium dodecylbenzenesulfonate	25155-30-0	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



Version 4.0	Revision Date 07/17/2018	Print Date 06/14/2019	
SARA 311/312 Hazards	: Flammable (gases, aerosols, liquids, or s Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation Respiratory or skin sensitisation	solids)	
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	<ul> <li>The following components are subject to reporting levels established by SARA Title III, Section 313:</li> <li>2-butoxyethanol</li> <li>111-76-2</li> <li>7.5 %</li> </ul>		
California Prop. 65			
	WARNING: This product can expose you to chemicals including methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.		

#### The components of this product are reported in the following inventories:

DSL	This product contains one or more components that are listed on the
	Canadian NDSL. All other components are on the Canadian DSL.
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION




Version 4.0

Revision Date 07/17/2018

Print Date 06/14/2019

**Further information** 



### HMIS III:

HEALTH	3*
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

### **OSHA - GHS Label Information:**

Hazard pictograms	
Signal word	: Danger:
Hazard statements	<ul> <li>Combustible liquid. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> </ul>
Precautionary statements	
	<ul> <li>Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection. In case of inadequate ventilation wear respiratory protection.</li> <li>Response: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of water. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.</li> <li>Storage: Store in a well-ventilated place. Keep cool.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

Version:	4.0
Revision Date:	07/17/2018
Print Date:	06/14/2019

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

<sup>2 =</sup> Moderate, 3 = High 4 = Extreme, \* = Chronic



Version 4.0

Revision Date 07/17/2018

Print Date 06/14/2019

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.