SAFETY DATA SHEET

1. Identification

Product identifier FINE FINISH II

Other means of identification

Product code PBS2, PBS3, PBS4
Recommended use Rubbing compound.

Recommended restrictionsUse in accordance with supplier's recommendations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier Granitize Products, Inc.

11022 Vulcan Street

South Gate, CA 90280-0893 US

Telephone: (562) 923-5438

Emergency CHEMTREC: (800) 424-9300

CHEMTREC International: 00 1-703-527-3887

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 3Health hazardsSensitization, skinCategory 1Environmental hazardsHazardous to the aquatic environment,Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. Flammable

liquid and vapor.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear

protective gloves/protective clothing/eye protection/face protection.

Response If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before

reuse. Collect spillage.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Water	7732-18-5	65-75
Oleic acid	112-80-1	>1
Microcrystalline silica, Tripoli	1317-95-9	8-12

FINE FINISH II SDS US

916524 Version #: 01 Revision date: - Issue date: 07-August-2014

Polyalkyl siloxane	63148-62-9	5-10
White mineral oil (petroleum)	8042-47-5	5-10
C12-C14 isoalkanes	68551-19-9	2-5
Limonene	5989-27-5	2-5
Glycerin	56-81-5	<2

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move into fresh air and keep at rest. If breathing is difficult, give oxygen. Get medical attention if

discomfort develops or persists.

Flush skin thoroughly with water. Get medical attention if irritation develops and persists. Wash Skin contact

clothing separately before reuse. Destroy or thoroughly clean contaminated shoes.

Flush eyes immediately with large amounts of water. Continue rinsing. Get medical attention if Eye contact

irritation develops and persists.

Immediately rinse mouth and drink a cupful of water. Never give anything by mouth to a victim who Ingestion

is unconscious or is having convulsions. If vomiting occurs, keep head low so that stomach

content does not get into the lungs. Get medical attention immediately.

Most important symptoms/effects, acute and delayed

May cause an allergic skin reaction.

Indication of immediate medical attention and special treatment needed

Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Vapors are heavier than air and may travel along the floor and in the bottom of containers. Vapors may be ignited by a spark, a hot surface or an ember.

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing must be worn in case of

Fire-fighting equipment/instructions General fire hazards

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Move containers from fire area if you can do so without risk.

The product is a flammable liquid.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Wear appropriate personal protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains.

Small Spills: Absorb spill with vermiculite or other inert material. Clean surface thoroughly to remove residual contamination. This material and its container must be disposed of as hazardous waste.

Large Spills: Flush area with water. Prevent runoff from entering drains, sewers, or streams. Dike for later disposal.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

FINE FINISH II SDS US 2/8 916524 Version #: 01 Revision date: -Issue date: 07-August-2014

7. Handling and storage

Precautions for safe handlingKeep away from heat and sources of ignition. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Wear personal protective equipment. Wash

thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool, well-ventilated place. Keep away from food, drink and

animal feedingstuffs. Keep out of the reach of children.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Glycerin (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
White mineral oil (petroleum) (CAS 8042-47-5)	PEL	5 mg/m3	Mist.

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Microcrystalline silica,	TWA	0.025 mg/m3	Respirable fraction.
Tripoli (CAS 1317-95-9)			

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form	
White mineral oil (petroleum) (CAS 8042-47-5)	STEL	10 mg/m3	Mist.	
·	TWA	5 mg/m3	Mist.	

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Туре	Value	
Limonene (CAS 5989-27-5)	TWA	165.5 mg/m3	
		30 nnm	

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Follow standard monitoring procedures.

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control sources

of dust, mist or vapor. Use explosion-proof equipment.

Individual protection measures, such as personal protective equipment

Eve/face protection Wear approved safety glasses or goggles. Wear face shield if there is risk of splashes.

Skin protection

Hand protection Chemical resistant gloves are recommended.Other Wear suitable protective clothing and gloves.

Other Wear suitable protective clothing and gloves.

Respiratory protection If engineering controls do not maintain airborne of the state of the sta

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134. Respirator type: Air-purifying respirator with an appropriate, government approved

(where applicable), air-purifying filter, cartridge or canister.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Handle in accordance with good industrial hygiene and safety practice. Provide eyewash station and safety shower.

9. Physical and chemical properties

Appearance White cream.

Physical state Liquid.
Form Liquid.
Color White.

FINE FINISH II SDS US

Odor Characteristic. **Odor threshold** Not available. рH Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

Not available.

range

100.0 °F (37.8 °C) Closed Cup Flash point

Evaporation rate Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

0.876 g/cm3

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available.

Relative density Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. **Viscosity**

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Elevated temperatures. Electrostatic discharge.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion May cause discomfort if swallowed.

Vapors and mist may irritate throat and respiratory system and cause coughing. Inhalation

May cause an allergic skin reaction. Skin contact

Direct contact with eyes may cause temporary irritation. Eve contact

Symptoms related to the physical, chemical and toxicological characteristics Skin and eye irritation. May cause an allergic skin reaction.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

FINE FINISH II SDS US Components **Species Test Results**

Limonene (CAS 5989-27-5)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Oral

LD50 Rat 4400 mg/kg

Oleic acid (CAS 112-80-1)

Acute

Oral

LD50 Rat 74 g/kg

Polyalkyl siloxane (CAS 63148-62-9)

Acute

Dermal

LD50 Rabbit >= 5000 mg/kg

Oral

LD50 Rat >= 17000 mg/kg

Skin corrosion/irritation Not classified. Not classified. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Not classified.

Due to the form of the product, exposure to the potentially carcinogenic components is not Carcinogenicity

expected.

IARC Monographs. Overall Evaluation of Carcinogenicity

Limonene (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.

Microcrystalline silica, Tripoli (CAS 1317-95-9) 1 Carcinogenic to humans.

NTP Report on Carcinogens

Microcrystalline silica, Tripoli (CAS 1317-95-9) Known To Be Human Carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not classified. Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Chronic effects Prolonged inhalation may be harmful. Frequent or prolonged contact may defat and dry the skin,

leading to discomfort and dermatitis.

Further information No other specific acute or chronic health impact noted.

12. Ecological information

Ecotoxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Components **Species Test Results**

Limonene (CAS 5989-27-5)

Aquatic

Crustacea EC50 Daphnia 0.42 mg/l, 48 Hours LC50 Fish Fathead minnow (Pimephales promelas) 0.7 mg/l, 96 Hours

Persistence and degradability Not available. **Bioaccumulative potential** Not available.

SDS US FINE FINISH II

5/8

Partition coefficient n-octanol / water (log Kow)

-1.76 Glycerin (CAS 56-81-5) 4.232 Limonene (CAS 5989-27-5)

Mobility in soil Not available. Other adverse effects No data available.

13. Disposal considerations

Disposal instructions Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate

sealed containers. Do not dispose of waste into sewer. Do not contaminate ponds, waterways or

ditches with chemical or used container.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code D001: Waste Flammable material with a flash point <140 °F

Waste codes should be assigned by the user based on the application for which the product was

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Offer rinsed packaging material to local recycling facilities.

14. Transport information

DOT

UN1993 **UN** number

UN proper shipping name Flammable liquids, n.o.s. (Limonene)

Transport hazard class(es)

Class 3 Subsidiary risk Label(s) 3 Packing group Ш **Environmental hazards**

> Yes Marine pollutant

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions B1, B52, IB3, T4, TP1, TP29

Packaging exceptions 150 Packaging non bulk 203 Packaging bulk 242

IATA

UN number UN1993

UN proper shipping name Flammable liquid, n.o.s. (Limonene)

Transport hazard class(es)

3 **Class** Subsidiary risk 3 Label(s) Ш Packing group **Environmental hazards** Yes 31 **ERG Code**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1993

UN proper shipping name Flammable Liquid, N.o.s. (Limonene)

Transport hazard class(es)

Class 3 Subsidiary risk 3 Label(s) Ш Packing group **Environmental hazards**

Marine pollutant Yes **FmS** F-E. S-E

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to This substance/mixture is not intended to be transported in bulk.

Annex II of MARPOL 73/78 and

the IBC Code

FINE FINISH II 6/8 916524 Version #: 01 Revision date: -Issue date: 07-August-2014

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations WARNING: This product contains chemicals known to the State of California to cause cancer.

US. Massachusetts RTK - Substance List

Glycerin (CAS 56-81-5)

Microcrystalline silica, Tripoli (CAS 1317-95-9) White mineral oil (petroleum) (CAS 8042-47-5)

US. New Jersey Worker and Community Right-to-Know Act

Glycerin (CAS 56-81-5) Limonene (CAS 5989-27-5)

Microcrystalline silica, Tripoli (CAS 1317-95-9) White mineral oil (petroleum) (CAS 8042-47-5)

US. Pennsylvania Worker and Community Right-to-Know Law

Glycerin (CAS 56-81-5)

Microcrystalline silica, Tripoli (CAS 1317-95-9)

Oleic acid (CAS 112-80-1)

White mineral oil (petroleum) (CAS 8042-47-5)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Microcrystalline silica, Tripoli (CAS 1317-95-9)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

FINE FINISH II SDS US

Country(s) or region Inventory name On inventory (yes/no)* Europe European Inventory of Existing Commercial Chemical Substances (EINECS) Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances No (PICCS)

16. Other information, including date of preparation or last revision

Issue date 07-August-2014

Revision date - 01

NFPA ratings



References Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

C&L Inventory database.

ESIS (European chemical Substances Information System)

CONCAWE

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

FINE FINISH II SDS US

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).