

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2022

Reviewed on 01/28/2022

1 Identification

- **Product identifier**
- **Trade name:** PRO POWER ACID CLEANER
- **Article number:** C-24
- **Application of the substance / the mixture** *Cleaning agent/ Cleaner*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BAF Industries
8010 Dixie Highway
Florence, KY 41042 USA
Phone: 859-372-5900
- **Information department:** *sds_info@prowax.com*
- **Emergency Telephone Number:**
ChemTrec: 800-424-9300
ChemTrec: 800-424-9300
Outside USA 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



Skull and crossbones

*Toxic if swallowed.**Toxic in contact with skin.**Toxic if inhaled.*

Corrosion

*Causes severe skin burns and eye damage.**Causes serious eye damage.**May cause respiratory irritation.*

- **Label elements**
- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
- **Hazard pictograms**



- **Signal word** *Danger*
- **Hazard statements**
Toxic if swallowed, in contact with skin or if inhaled.
Causes severe skin burns and eye damage.
May cause respiratory irritation.

(Contd. on page 2)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: **PRO POWER ACID CLEANER**

(Contd. of page 1)

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store in a dry place. Store in a closed container.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

7664-38-2	phosphoric acid	10-25%
7664-93-9	sulphuric acid	10-25%
7664-39-3	hydrogen fluoride (70%)	10-25%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*

· **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*

· After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

· **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: PRO POWER ACID CLEANER

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** *Use fire fighting measures that suit the environment.*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *Mouth respiratory protective device.*

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** *Keep respiratory protective device available.*
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *No special requirements.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*

(Contd. on page 4)

-USA-

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: PRO POWER ACID CLEANER

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

7664-38-2 phosphoric acidPEL Long-term value: 1 mg/m³REL Short-term value: 3 mg/m³Long-term value: 1 mg/m³TLV Short-term value: 3 mg/m³Long-term value: 1 mg/m³**7664-93-9 sulphuric acid**PEL Long-term value: 1 mg/m³REL Long-term value: 1 mg/m³TLV Long-term value: 0.2* mg/m³

*as thoracic fraction, A2

7664-39-3 hydrogen fluoride (70%)PEL Long-term value: 1* mg/m³, 3 ppm
as F, *sulphuric acidREL Long-term value: 2.5 mg/m³, 3 ppm
Ceiling limit value: 5* mg/m³, 6* ppm
*15-min, as FTLV Long-term value: 0.5 ppm
Ceiling limit value: 2 ppm
as F; Skin; BEI

· Ingredients with biological limit values:

7664-39-3 hydrogen fluoride (70%)BEI 3 mg/g creatinine
Medium: urine
Time: prior to shift
Parameter: Fluorides (background)10 mg/g creatinine
Medium: urine
Time: end of shift
Parameter: Fluorides (background)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: PRO POWER ACID CLEANER

(Contd. of page 4)

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Liquid
Color:	Colorless
Odor:	Pungent
Odor threshold:	Not determined.

pH-value at 20 °C (68 °F): 1

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

Flash point: Not applicable.

Flammability (solid, gaseous): Not applicable.

Decomposition temperature: Not determined.

Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Vapor pressure at 20 °C (68 °F): 40 hPa (30 mm Hg)

Density at 20 °C (68 °F): 1.1278 g/cm³ (9.4115 lbs/gal)

Relative density: Not determined.

(Contd. on page 6)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: PRO POWER ACID CLEANER

(Contd. of page 5)

- Vapor density Not determined.
- Evaporation rate Not determined.

- Solubility in / Miscibility with Water: Fully miscible.

- Partition coefficient (n-octanol/water): Not determined.

- Viscosity:
 - Dynamic: Not determined
 - Kinematic at 40 °C (104 °F): <20.5 mm²/s

- Solvent content:
 - Water: 60.6 %
 - VOC content: 0.00 %

- Solids content: 27.7 %

- Other information No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
 - on the skin: Strong caustic effect on skin and mucous membranes.
 - on the eye:
 - Strong caustic effect.
 - Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

7664-93-9 sulphuric acid

I

- NTP (National Toxicology Program)

7664-93-9 sulphuric acid

K

(Contd. on page 7)

-USA-

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: PRO POWER ACID CLEANER

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|----------------------------------|--|
| · UN-Number | |
| · DOT, ADR, IMDG, IATA | UN2922 |
| · UN proper shipping name | |
| · DOT | Corrosive liquids, toxic, n.o.s. (Hydrofluoric acid, Sulfuric acid) |
| · ADR | 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID, SULPHURIC ACID) |
| · IMDG, IATA | CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID, SULPHURIC ACID) |

(Contd. on page 8)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: PRO POWER ACID CLEANER

(Contd. of page 7)

· **Transport hazard class(es)**· **DOT**· **Class**

8 Corrosive substances

· **Label**


8, 6.1

· **ADR**· **Class**

8 Corrosive substances

· **Label**

8+6.1

· **IMDG**· **Class**

8 Corrosive substances

· **Label**

8/6.1

· **IATA**· **Class**

8 Corrosive substances

· **Label**

8 (6.1)

· **Packing group**· **DOT, ADR, IMDG, IATA**

I

· **Environmental hazards:**· **Marine pollutant:**

No

· **Special precautions for user**

Warning: Corrosive substances

· **Hazard identification number (Kemler code):**

886

· **EMS Number:**

F-A,S-B

· **Stowage Category**

B

· **Stowage Code**

SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **DOT**· **Quantity limitations**

On passenger aircraft/rail: 0.5 L

On cargo aircraft only: 2.5 L

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: PRO POWER ACID CLEANER

(Contd. of page 8)

· ADR	
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· IMDG	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID, SULPHURIC ACID), 8 (6.1), I

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

7664-93-9 sulphuric acid

· Section 313 (Specific toxic chemical listings):

7664-38-2 phosphoric acid

7664-93-9 sulphuric acid

- TSCA (Toxic Substances Control Act) All ingredients are listed

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

7664-93-9 sulphuric acid

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



(Contd. on page 10)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: PRO POWER ACID CLEANER

(Contd. of page 9)

- **Signal word** *Danger*

- **Hazard statements**

Toxic if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

- **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store in a dry place. Store in a closed container.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Contact:**

- **Date of preparation / last revision** 01/28/2022 / 43

- **Abbreviations and acronyms:**

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- *** Data compared to the previous version altered.**