

# **ZEP IRONCLAD**

|--|

#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP IRONCLAD
Material number	:	0000000000136599
Manufacturer or supplier's details		
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

# Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

#### Recommended use of the chemical and restrictions on use

Recommended use : Protective Coating

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	liquid	
Colour	opaque, tan	
Odour	solvent-like	

#### **GHS Classification**

Flammable liquids Eye irritation	: Category 3 : Category 2B
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H226 Flammable liquid and vapour. H320 Causes eye irritation.
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P240 Ground/bond container and receiving equipment.</li> <li>P241 Use explosion-proof electrical/ ventilating/ lighting</li> </ul>



Print Date 05/12/2018

#### **ZEP IRONCLAD** Version 3.0 Revision Date 04/03/2018 equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection. **Response:** P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal: P501 Dispose of contents/container in accordance with local regulation.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture •

#### Hazardous components

CAS-No.	Concentration [%]
64742-88-7	>= 50 - < 70
64	

The exact percentages of disclosed substances are withheld as trade secrets.

#### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>Move out of dangerous area.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Do not leave the victim unattended.</li> </ul>
If inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>If skin irritation persists, call a physician.</li> <li>Remove contaminated clothing and shoes.</li> <li>Wash contaminated clothing before reuse.</li> <li>Wash off with plenty of water.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> <li>Rinse with plenty of water.</li> </ul>
If swallowed	: Keep respiratory tract clear.



# **ZEP IRONCLAD**

Version 3.0	Revision Date 04/03/2018	Print Date 05/12/2018
	Do not give milk or alcoholic bever Never give anything by mouth to a If symptoms persist, call a physicia	n unconscious person.
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delayed Symptoms may include irritation, r Review section 2 of SDS to see al Causes eye irritation.	edness, pain, and rash.
Notes to physician	: Treat symptomatically. Symptoms	s may be delayed.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media		-resistant foam dioxide (CO2) emical
Unsuitable extinguishing media	High vo	blume water jet
Specific hazards during firefighting	Do not course:	allow run-off from fire fighting to enter drains or water s.
Hazardous combustion products		dioxide (CO2) monoxide
Specific extinguishing methods	Use ex	tinguishing measures that are appropriate to local stances and the surrounding environment.
Further information	must no Fire res be disp For saf separa	contaminated fire extinguishing water separately. This of be discharged into drains. sidues and contaminated fire extinguishing water must osed of in accordance with local regulations. ety reasons in case of fire, cans should be stored tely in closed containments. water spray to cool fully closed containers.
Special protective equipment for firefighters	Wear s necess	elf-contained breathing apparatus for firefighting if ary.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	<ul> <li>Use personal protective equipment.</li></ul>
protective equipment and	Remove all sources of ignition. <li>Evacuate personnel to safe areas.</li> <li>Beware of vapours accumulating to form explosive</li>
emergency procedures	concentrations. Vapours can accumulate in low areas.
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>



# **ZEP IRONCLAD**

Version 3.0	Revision Date 04/03/2018	Print Date 05/12/2018
Methods and materials for containment and cleaning up	: Contain spillage, and then collect v absorbent material, (e.g. sand, ear vermiculite) and place in container local / national regulations (see se	th, diatomaceous earth, for disposal according to

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>No smoking.</li> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Oxidizing agents Do not store near acids.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters Contains no substances with occupational exposure limit values. Engineering measures : effective ventilation in all processing areas Personal protective equipment Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection Material Remarks	<ul> <li>Protective gloves</li> <li>The suitability for a specific workplace should be discussed with the producers of the protective gloves.</li> </ul>
Eye protection	: Eye wash bottle with pure water Safety glasses
Skin and body protection	: Impervious clothing



# ZEP IRONCLAD

Version 3.0	Revision Date 04/03/2018	Print Date 05/12/2018
	Choose body protection according concentration of the dangerous su	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	opaque, tan
Odour	:	solvent-like
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point	:	> 156.1 °C
Flash point	:	39.4 °C Method: TCC
Evaporation rate	:	1
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
		No data available
Density	:	0.824 g/cm3
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	slightly soluble
Solubility in other solvents	:	slightly soluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 25 mm2/s (40 °C)



# **ZEP IRONCLAD**

Version 3.0

Revision Date 04/03/2018

Print Date 05/12/2018

90.2 mm2/s (20 °C)

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents Reducing agents Acids
Hazardous decomposition products	: Carbon oxides Sulphur oxides

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### **Potential Health Effects**

Aggravated Medical Condition Symptoms of Overexposure	<ul> <li>None known.</li> <li>Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash.</li> </ul>	
Carcinogenicity:		
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with unknown relevance to humans 2-butoxyethanol 111-76-2	
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.	
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
ite toxicity		

### Acute toxicity

No data available

#### Skin corrosion/irritation

# **ZEP IRONCLAD**

Version 3.0

Revision Date 04/03/2018

Print Date 05/12/2018

Zepinc

#### Product:

Remarks: May cause skin irritation and/or dermatitis.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Irritating to eyes.

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### **Further information**

Product:

Remarks: Solvents may degrease the skin.

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available Bioaccumulative potential

#### Product:

Partition coefficient: n- : Remarks: No data available octanol/water

#### Mobility in soil

# ZepInc

# **ZEP IRONCLAD**

Version 3.0	Revision Date 04/03/2018	Print Date 05/12/2018
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Se Substances	
Remarks		
Additional ecological information	: No data available	

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

#### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): UN1993, FLAMMABLE LIQUID, N.O.S., (ALIPHATIC PETROLEUM NAPHTHA), 3, III

Transportation Regulation: IATA (Cargo Air): UN1993, Flammable liquid, n.o.s., (ALIPHATIC PETROLEUM NAPHTHA), 3, III

Transportation Regulation: IATA (Passenger Air): This material is not classified.

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL



# **ZEP IRONCLAD**

Version 3.0

Revision Date 04/03/2018

Print Date 05/12/2018

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

#### SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Flammable (gases, aerosols, liquids, or solids) Serious eye damage or eye irritation
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65	
	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

# ZepInc

# ZEP IRONCLAD

Version 3.0

Revision Date 04/03/2018

Print Date 05/12/2018

#### **SECTION 16. OTHER INFORMATION**

#### **Further information** NFPA: HMIS III: Flammability HEALTH 1 2 Instability Health 0 2 FLAMMABILITY **PHYSICAL HAZARD** 0 0 = not significant, 1 =Slight, Special hazard. 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### **OSHA - GHS Label Information:**

	zard pictograms	
sources. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting equipmer only non-sparking tools. Take precautionary measures against static discharge. V skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection	zard statements	<ul> <li>mable liquid and vapour. Causes eye irritation.</li> <li>ention: Keep away from heat, hot surfaces, sparks, open flames and other ignition ces. No smoking. Keep container tightly closed. Ground/bond container and ving equipment. Use explosion-proof electrical/ ventilating/ lighting equipment. Use non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/ eye protection/ face protection. Donse: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. ove contact lenses, if present and easy to do. Continue rinsing. If eye irritation sts: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or nol-resistant foam to extinguish.</li> <li>age: Store in a well-ventilated place. Keep cool.</li> </ul>

Version:	3.0
Revision Date:	04/03/2018
Print Date:	05/12/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.



# **ZEP IRONCLAD**

Version 3.0

Revision Date 04/03/2018

Print Date 05/12/2018

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.