



SAFETY DATA SHEET

Issue Date 02-21-2017

Revision Date 02-21-2017

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name: PREMIUM ATF CLEANER

Other means of identification

Common Name: 0118
UN/ID No Not Regulated
Synonyms None
Product Categories Cleaner, Automotive, Petroleum

Recommended use of the chemical and restrictions on use

Sale and Use Restrictions Not applicable
Recommended Use Restricted to professional users.
Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier Address
MOC PRODUCTS CO., INC.
12306 Montague Street
Pacoima, CA 91331

Emergency telephone number

Company Phone Number MOC PRODUCTS CO., INC. (818) 794-3500
Emergency Telephone CHEMTREC 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Label elements

Emergency Overview



Appearance Oil

Physical state Liquid

Odor Bland

Precautionary Statements - Response

Hazards not otherwise classified (HNOC)

Other information

- May be harmful if swallowed
- May be harmful in contact with skin
- Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Weight %	Trade Secret
Hydrotreated Heavy Paraffinic Oil	64742-54-7	80-95	*
Hydrotreated Light Petroleum Distillates	64742-47-8	1-5	*
9-Octadecenoic Acid	112-80-1	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin contact	Immediately flush skin with plenty of water for at least 15 (30 or 60) minutes. Remove contaminated clothing and shoes. Thoroughly clean shoes before reuse. Wash contaminated clothing before reuse.
Inhalation	If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing stops, get medical attention immediately.
Eye contact	Immediately flush eyes for at least 15 minutes. Get medical attention.
Ingestion	Call a physician. If swallowed, call a poison control center or physician immediately. Do NOT induce vomiting unless directed to do so by a physician. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms Skin irritation, Eye irritation, Coughing and/ or wheezing.

Indication of any immediate medical attention and special treatment needed

Self-protection of the first aider Low hazard for usual industrial or commercial handling.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Water spray or fog; Foam, Dry chemical, Carbon dioxide (CO₂).

Small Fire Dry chemical or CO₂.

Large Fire Water spray or fog, Foam.

Explosive properties: Risk of explosion if heated under confinement: Fire or intense heat may cause violent rupture of packages.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon monoxide, Carbon dioxide (CO₂), Hydrocarbons, Aldehydes, Nitrogen oxides (NO_x).

Specific methods:

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge May be ignited by heat, sparks or flames.

Special firefighting procedures:

No action shall be taken involving any personal risk without suitable training. Evacuate surrounding areas. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Dike to collect large liquid spills. Do not allow run-off from fire-fighting to enter drains or water courses. Do not use a solid water stream as it may scatter and spread fire. Water may cause frothing of heated materials. Avoid spreading burning liquid with water used for cooling purposes. Water mist may be used to cool closed containers. Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions: Keep people away from and upwind of spill/leak. Use personal protective equipment. See Section 8 for information on appropriate personal protective equipment.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions: Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system. Water runoff can cause environmental damage.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Dike far ahead of spill; use dry sand to contain the flow of material. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

Methods for clean-up: Clean-up methods - small spillage. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to state, local, federal regulations. Clean-up methods - large spillage. Keep unnecessary personnel away. Dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Avoid contact of spilled material with soil and prevent runoff entering surface waterways.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling: Protect from physical damage. Avoid breathing vapors or mists. Do not store at temperatures above 120°F (50°C). Keep product and empty container away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place.

Conditions for safe storage, including any incompatibilities

Technical measures/precautions: No special technical protective measures required.

Materials to avoid: Chlorine, Strong oxidizing agents, Strong acids, Alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**Exposure Guidelines**

Components	ACGIH TLV	OSHA Exposure Limits:	NIOSH IDLH
Hydrotreated Heavy Paraffinic Oil 64742-54-7	5 mg/m ³ TWA (mist) 10 mg/m ³ STEL (mist)	5 mg/m ³	-
Hydrotreated Light Petroleum Distillates 64742-47-8	TWA: 200 ppm	TWA: 500 ppm	-
9-Octadecenoic Acid	-	Not established	-

112-80-1			
----------	--	--	--

Appropriate engineering controls

Engineering measures: Mechanical ventilation required if used indoors on a continuous basis.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear normal work clothing, Chemical resistant gloves: (consult with the specific manufacturer to confirm performance).
Respiratory protection	Ensure adequate ventilation. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. A respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed whenever workplace conditions warrant a respirator's use.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with eyes, skin and clothing. Take off contaminated clothing and wash it before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state	Liquid	Odor	Bland
Appearance	Oil	Odor threshold	No information available
Color	Brown		

Property	Values	Remarks • Method
pH	N/A	Not applicable
Melting point/freezing point	No information available	
Boiling point / boiling range	> 216 °C / 420 °F	(based on components)
Flash point	> 94 °C / 201 °F	(based on components)
Evaporation rate	Slower than ether	Slower than ether
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper flammability limit	No Data Available	
Lower flammability limit	No Data Available	
Vapor pressure	No Data Available	
Vapor density	Heavier than air	
Specific Gravity	0.85	
Water solubility	Insoluble in water	
Solubility in other solvents	No Data Available	
Partition coefficient	No Data Available	
Autoignition temperature	No Data Available	
Decomposition temperature	No Data Available	
Kinematic viscosity	No information available	
Dynamic viscosity	No Data Available	
Explosive properties	No Data Available	
Oxidizing properties	No Data Available	

Other information

Softening point	No Data Available
Molecular weight	No Data Available
VOC Content (%)	
VOC Content (%)	3.5
Density	0.85 g/cc

Bulk density No Data Available

10. STABILITY AND REACTIVITY

Reactivity

Reactivity Stable.

Chemical stability

Possibility of Hazardous Reactions None under normal processing.
Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Materials to avoid:

Chlorine, Strong oxidizing agents, Strong acids, Alkalis.

Hazardous Decomposition Products

Hazardous Decomposition Products Carbon monoxide, Carbon dioxide (CO₂), Hydrocarbons, Aldehydes, Nitrogen oxides (NO_x).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

May be harmful if swallowed. May cause eye irritation May cause skin irritation

Inhalation

Not expected to be harmful if inhaled. Contains a petroleum-based mineral oil. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing.

Eye contact

Contact with eyes may cause irritation.

Skin Contact

May cause irritation.

Ingestion

Potential for aspiration if swallowed.

Components	Oral LD50	Dermal LD50	Inhalation LC50
Hydrotreated Heavy Paraffinic Oil 64742-54-7	>5000mg/kg (Rat)	>5000 mg/kg (Rabbit)	-
Hydrotreated Light Petroleum Distillates 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
9-Octadecenoic Acid 112-80-1	= 25 g/kg (Rat) > 5000 mg/kg (Rat)	-	-

Information on toxicological effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic effects:

No information available.

Carcinogenicity

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Reproductive toxicity

No information available.

STOT - single exposure

Not classified.

STOT - repeated exposure

Not classified.

Chronic toxicity

No information available.

Subchronic toxicity

No information available.

Target Organ Effects

Skin, Eyes, Respiratory system.

Neurological effects

No information available.

Other adverse effects No information available.
Aspiration hazard Risk of serious damage to the lungs (by aspiration).

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 4057 mg/kg
ATEmix (dermal) 4000 mg/kg
ATEmix (inhalation-vapor) 148.6 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chronic Aquatic Toxicity: Toxic to aquatic life with long lasting effects.

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Components	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrotreated Heavy Paraffinic Oil 64742-54-7		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50
Hydrotreated Light Petroleum Distillates 64742-47-8		45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
9-Octadecenoic Acid 112-80-1		205: 96 h Pimephales promelas mg/L LC50 static		

Persistence and degradability

NOT READILY BIODEGRADABLE.

Bioaccumulation

Bioaccumulative potential.

Components	Partition coefficient
9-Octadecenoic Acid 112-80-1	5.24-7.18 (QSAR)

Mobility: The product is insoluble and floats on water

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Dispose of in accordance with federal, state and local regulations.

Contaminated packaging Do not reuse container. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

State Regulations (RTK)

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Rating

Health hazards 2

Flammability 1

Instability 0

Physical and Chemical Properties -

HMIS Rating

Health hazards 2

Flammability 1

Physical hazards 0

Personal protection B

Prepared by

Environmental Health and Safety Department

Issue Date

02-21-2017

Revision Date

02-21-2017

Revision Note

This data sheet contains changes from the previous version in section(s): 1, 5, 6,7,8,11

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet