Page: 1/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

1 Identification

· Product identifier

· Trade name: Aerosol Buffing Solution

· Article number: 14-102

· Recommended use and restriction on use

· Recommended use:

Cleaner solvent

Tire maintenance.

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

31 Incorporated 100 Enterprise Dr.

Newcomerstown, OH 43832 Phone: (740) 498-8324

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Press. Gas H280 Contains gas under pressure; may explode if heated.

Carc. 2 H351 Suspected of causing cancer.

Repr. 1 H360 May damage fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





GHS04 GHS08

· Signal word: Danger · Hazard statements:

H280 Contains gas under pressure; may explode if heated.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P260 Do not breathe mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection. P308+P313 IF exposed or concerned: Get medical advice/attention.

(Cont'd. on page 2)

Page: 2/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

Trade name: Aerosol Buffing Solution

(Cont'd. of page 1)

P314 Get medical advice/attention if you feel unwell.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Compone	ents:	
127-18-4	tetrachloroethylene	>90%
	🕸 Carc. 2, H351	
	1-bromopropane	1-5%
	 Flam. Liq. 2, H225 Carc. 2, H351; Repr. 1B, H360; STOT RE 2, H373 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H336 	
124-38-9	carbon dioxide	1-5%
	♦ Press. Gas, H280	

[·] Additional information: For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Headache

Breathing difficulty

Coughing, dizziness, if inhaled.

Nausea in case of ingestion.

Disorientation

Unconsciousness

(Cont'd. on page 3)

Page: 3/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

Trade name: Aerosol Buffing Solution

(Cont'd. of page 2)

Danger:

Vapours may cause drowsiness and dizziness.

Suspected of causing cancer.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Evacuate area and fight fire from from the upwind side.

Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Isolate area and prevent access.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Allow to evaporate.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)

Page: 4/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

Trade name: Aerosol Buffing Solution

(Cont'd. of page 3)

7 Handling and storage

- Handling
- Precautions for safe handling:

The usual precautionary measures for handling chemicals should be followed.

Use only outdoors or in a well-ventilated area.

Keep out of reach of children.

Avoid breathing mist, vapors, or spray.

Pressurized container: Do not pierce or burn, even after use.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Avoid storage near extreme heat, ignition sources or open flame.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

Control parameters				
· Components with limit values that require monitoring at the workplace:				
127-18-4 tetrac	127-18-4 tetrachloroethylene			
PEL (USA)	Long-term value: 100 ppm Ceiling limit value: 200; 300* ppm *5-min peak in any 3 hrs			
REL (USA)	Minimize workplace exp. concs.;Pocket Guide App. A			
TLV (USA)	Short-term value: 685 mg/m³, 100 ppm Long-term value: 170 mg/m³, 25 ppm BEI			
EL (Canada)	Short-term value: 100 ppm Long-term value: 25 ppm IARC 2A			
EV (Canada)	Short-term value: 100 ppm Long-term value: 25 ppm			
LMPE (Mexico)	Short-term value: 100 ppm Long-term value: 25 ppm A3, IBE			
106-94-5 1-bro	mopropane			
TLV (USA)	Long-term value: 0.5 mg/m³, 0.1 ppm			
(Cont'd. on page s				

Page: 5/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

Trade name: Aerosol Buffing Solution

		(Cont'd. of page 4)
EL (Canada)	Long-term value: 10 ppm	
EV (Canada)	Long-term value: 10 ppm	
LMPE (Mexico)	Long-term value: 10 ppm	
124-38-9 carbo	n dioxide	
PEL (USA)	Long-term value: 9000 mg/m³, 5000 ppm	
REL (USA)	Short-term value: 54.000 mg/m³, 30.000 ppm Long-term value: 9000 mg/m³, 5000 ppm	
TLV (USA)	Short-term value: 54.000 mg/m³, 30.000 ppm Long-term value: 9000 mg/m³, 5000 ppm	
EL (Canada)	Short-term value: 15000 ppm Long-term value: 5000 ppm	
EV (Canada)	Short-term value: 54000 mg/m³, 30000 ppm Long-term value: 9000 mg/m³, 5000 ppm	
LMPE (Mexico)	Short-term value: 30000 ppm Long-term value: 5000 ppm	
· Ingredients wit	h biological limit values:	
127-18-4 tetrac	hloroethylene	
BEI (USA) 3 ppm Medium: end-exhaled air Time: prior to shift Parameter: Tetrachloroethylene		
0.5 mg/L Medium: blood Time: prior to shift Parameter: Tetrachloroethylene		

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Do not inhale gases / fumes / aerosols.

Wash hands before breaks and at the end of work.

Pregnant women should strictly avoid inhalation or skin contact.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

For spills, respiratory protection may be advisable.

Protection of hands:



(Cont'd. on page 6)

Page: 6/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

Trade name: Aerosol Buffing Solution

(Cont'd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures No relevant information available.

9 Physical and chemical propert	ties
Information on basic physical an Appearance:	d chemical properties
Form:	Aerosol
Color:	Colorless
· Odor:	Irritant
· Odor threshold:	Not determined.
· pH-value:	Not determined.
Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	121 °C (250 °F)
· Flash point:	Not applicable, as aerosol.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Not determined.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	17 hPa (13 mm Hg) (13 mmHg)
· Density:	
Relative density:	1.62
Vapor density at 20 °C (68 °F):	5.76 g/cm³ (48.067 lbs/gal)
Evaporation rate at 20 °C (68 °F):	>1 (ether=1)
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity	
Dynamic:	Not determined.
	(Cont'd. on page 7

Page: 7/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

Trade name: Aerosol Buffing Solution

(Cont'd. of page 6)

Kinematic: Not determined.

Other information No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Danger of receptacles bursting because of high vapor pressure if heated.

Possibility of hazardous reactions

Reacts with powdered metals.

Reacts with strong alkali.

Reacts with strong oxidizing agents.

Reacts with amines.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid Excessive heat.
- Incompatible materials

Caution! Do not use in conjunction with other products. Dangerous gases (chlorine) may be given off.

· Hazardous decomposition products

Carbon monoxide and carbon dioxide

Chlorine compounds

Bromine compounds

11 Toxicological information

- Information on toxicological effects

	· Acute toxicity:		
	· LD/LC50	values th	at are relevant for classification:
	127-18-4 tetrachloroethylene		
	Oral	LD50	2629 mg/kg (rat)
	106-94-5 1-bromopropane		
	Inhalative LC50/4h 253 mg/l (rat)		
-	. Primary irritant offoct:		

- Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eve: Based on available data, the classification criteria are not met.
- · Sensitization: No sensitizing effects known.

· IARC (Int	ernational Agency for Research on Cancer):	
127-18-4	tetrachloroethylene	2A
· NTP (Nat	ional Toxicology Program):	
127-18-4	tetrachloroethylene	R
106-94-5	1-bromopropane	R
	•	(Cont'd. on page 8)

Page: 8/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

Trade name: Aerosol Buffing Solution

(Cont'd. of page 7)

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Inhalation. Eve contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Suspected of causing cancer.
- · Reproductive toxicity: May damage fertility or the unborn child.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity

Toxic to aquatic life with long lasting effects.

106-94-5 1-bromopropane

LC50 24.3 mg/l (Oncorhynchus mykiss)

127-18-4 tetrachloroethylene

LC50 4.99 mg/l (Oncorhynchus mykiss)

- · Persistence and degradability Not easily biodegradable
- · Bioaccumulative potential: May be accumulated in organism
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 9)

Page: 9/12

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

Trade name: Aerosol Buffing Solution

(Cont'd. of page 8)

- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN1950
UN proper shipping name DOT ADR IMDG	Aerosols, poison, Packing Group III AEROSOLS, toxic AEROSOLS Aerosols, non-flammable, containing substances Division 6.1, Packing Group III
· Transport hazard class(es)	
· DOT	
TOXIC	
· Class	2.2
· Label	2.2, 6.1
· ADR	
· Class	2 5T Gases
· Label	2.2+6.1
· IMDG	
· Class	2.2
· Label	2.2/6.1
IATA	
Class	2.2
· Label	2.2 (6.1) (Cont'd. on page 1

Page: 10/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

Trade name: Aerosol Buffing Solution

(Cont'd. of page 9) · Packing group This UN-number is not assigned a packing group. · Environmental hazards Product contains environmentally hazardous substances: tetrachloroethylene · Marine pollutant: Yes · Special precautions for user Warning: Gases · Danger code (Kemler): · EMS Number: F-D.S-U · Segregation groups Liquid halogenated hydrocarbons Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT Limited Quantity for packages less than 30 kg gross and inner packagings less than 120 mL. **ADR** Limited Quantity for packages less than 30 kg gross and inner packagings less than 120 mL. · IMDG Limited Quantity for packages less than 30 kg gross and inner packagings less than 120 mL. IATA Limited Quantity for packages less than 30 kg gross and inner packagings less than 120 mL.

(Cont'd. on page 11)

Page: 11/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

Trade name: Aerosol Buffing Solution

(Cont'd. of page 10)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

127-18-4 tetrachloroethylene

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

127-18-4 tetrachloroethylene

106-94-5 1-bromopropane

· Chemicals known to cause reproductive toxicity for females:

106-94-5 1-bromopropane

· Chemicals known to cause reproductive toxicity for males:

106-94-5 1-bromopropane

· Chemicals known to cause developmental toxicity:

106-94-5 1-bromopropane

· Carcinogenic categories

· EPA (Environmental Protection Agency):

127-18-4 tetrachloroethylene

L

· IARC (International Agency for Research on Cancer):

127-18-4 tetrachloroethylene

2A

· NIOSH-Ca (National Institute for Occupational Safety and Health):

127-18-4 tetrachloroethylene

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision July 07, 2017 / -
- · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

(Cont'd. on page 12)

Page: 12/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 07, 2017 Revision: July 07, 2017

Trade name: Aerosol Buffing Solution

(Cont'd. of page 11)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration

Press. Gas: Gases under pressure - Compressed gas

Press. Gas: Gases under pressure - Liquefied gas

Flam. Liq. 2: Flammable liquids - Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Carc. 2: Carcinogenicity – Category 2 Repr. 1: Reproductive toxicity – Category 1

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com