

SAFETY DATA SHEET

1. Identification		
Product identifier	Malco Swirl Remover	
Other means of identification		
Product Code	1902	
Recommended use	Automotive Detailing	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	Malco Products, Inc.	
Address	361 Fairview Ave	
	Barberton, OH 44203 United States	
Telephone	Phone	800-253-2526
relephone	Fax	330-753-2025
Website	www.malcopro.com	
E-mail	msdsinfo@malcopro.com	
Contact person	Technical Department	
Emergency phone number	Phone	1-800-424-9300
2. Hazard(s) identification		

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, inhalation	Category 5
	Serious eye damage/eye irritation	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning
Hazard statement	Combustible liquid. May be harmful if swallowed. Causes serious eye irritation. May be harmful if inhaled.
Precautionary statement	
Prevention	Keep away from flames and hot surfaces No smoking. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep cool.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	28.39% of the mixture consists of component(s) of unknown acute dermal toxicity. 18.89% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 28.39% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (Petroleum), Hydrotreated Light		64742-47-8	5 - < 10
dialuminum;oxygen(2-)		1344-28-1	1 - < 3
propane-1,2,3-triol		56-81-5	1 - < 3
1,3-bis(hydroxymethyl)-5,5-dimethyl imidazolidine-2,4-dione		6440-58-0	< 0.3
sodium;hydroxide		1310-73-2	< 0.2
Other components below reportable	levels		80 - < 90

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible liquid.

6. Accidental release measures

General fire hazards

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Keep away from open flames, hot surfaces and sources of ignition. Do not taste or swallow. Avoid inhalation of vapors and spray mists. Avoid contact with eyes. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
-------------------------------	--

Conditions for safe storage, including any incompatibilities includin

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
dialuminum;oxygen(2-) (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
propane-1,2,3-triol (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
sodium;hydroxide (CAS 1310-73-2)	PEL	2 mg/m3	
US. ACGIH Threshold Lim	iit Values		
Components	Туре	Value	
sodium;hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
sodium;hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
logical limit values	No biological exposure limits noted	for the ingredient(s).	
propriate engineering trols	Good general ventilation should be applicable, use process enclosures maintain airborne levels below reco established, maintain airborne level	, local exhaust ventilation, or ot mmended exposure limits. If ex	her engineering controls to posure limits have not beer
ividual protection measure	s, such as personal protective equip	ment	
Eye/face protection	Wear safety glasses with side shield	ds (or goggles).	
Skin protection			
Hand protection	Wear appropriate chemical resistan	nt gloves.	
Other	Wear suitable protective clothing.		
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
neral hygiene Isiderations	When using do not smoke. Keep av hygiene measures, such as washin smoking. Routinely wash work clot	g after handling the material an	d before eating, drinking, ar

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid. Cream.
Color	White.
Odor	None.
Odor threshold	Not available.
рН	8

Melting point/freezing point	1858.95 °F (1014.97 °C) estimated
Initial boiling point and boiling range	355.52 °F (179.73 °C) estimated
Flash point	174.0 °F (78.9 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	739 °F (392.78 °C) estimated
Decomposition temperature	Not available.
Viscosity	44000 cP
Viscosity temperature	68 °F (20 °C)
Other information	
Density	8.65 lbs/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIA estimated
Kinematic viscosity	42405.8565 cSt
Kinematic viscosity temperature	68 °F (20 °C)
Oxidizing properties	Not oxidizing.
VOC	0 % w/w By Weight

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May be harmful if inhaled.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	May be harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity May be harmful if inhaled. N	May be harmful if swallowed.
---	------------------------------

Components	Species		Test Results
1,3-bis(hydroxymethyl)-5,5-dimeth	ylimidazolidine-	2,4-dione (CAS 6440-58-0)	
Acute			
Oral			
LD50	Rat	2	2 g/kg
propane-1,2,3-triol (CAS 56-81-5)			
<u>Acute</u>			
Inhalation			
LC50	-	>	• 570 mg/m3, 1 Hours
* Estimates for product may b	e based on add	itional component data not shown.	
Skin corrosion/irritation	Prolonged sk	n contact may cause temporary irritation.	
Serious eye damage/eye irritation	Causes serio	us eye irritation.	
Respiratory or skin sensitization			
Respiratory sensitization	Not a respirat	ory sensitizer.	
Skin sensitization	•	s not expected to cause skin sensitizatior	
Germ cell mutagenicity	No data avail mutagenic or	able to indicate product or any componen genotoxic.	ts present at greater than 0.1% are
Carcinogenicity	Not classifiab	le as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation of C	arcinogenicity	
Not listed.			
OSHA Specifically Regulate	d Substances	(29 CFR 1910.1001-1053)	
Not listed.	arom (NTD) B	port on Carolnogona	
US. National Toxicology Pro Not listed.	Syralli (NTP) K	port on Carcinogens	
Reproductive toxicity	This product	s not expected to cause reproductive or d	evelopmental effects
Specific target organ toxicity -	Not classified		
single exposure			
Specific target organ toxicity - repeated exposure	Not classified		
Aspiration hazard	Not an aspira	tion hazard.	
Chronic effects	Prolonged inf	alation may be harmful.	
12. Ecological information	1		
Ecotoxicity		s not classified as environmentally hazard t large or frequent spills can have a harm	lous. However, this does not exclude the ful or damaging effect on the environment.
Components		Species	Test Results
Distillates (Petroleum), Hydro Aquatic	treated Light (C	AS 64742-47-8)	
Acute			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours
propane-1,2,3-triol (CAS 56-8	1-5)		
Aquatic			
Acute			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	>= 51000 - <= 57000 mg/l, 96 hours
sodium;hydroxide (CAS 1310	-73-2)		
Aquatic			
Acute			
Fish	LC50	Western mosquitofish (Gambusia affinis	s) 125 mg/l, 96 hours
* Estimates for product may b	e based on add	itional component data not shown.	
Persistence and degradability		ailable on the degradability of this product	
Bioaccumulative potential	No data avail	able.	

Partition coefficient n-octan propane-1,2,3-triol	ol / water (log Kow)	-1.76	
Mobility in soil	No data available.	1.10	
Other adverse effects			one depletion, photochemical ozone creation otential) are expected from this component.
13. Disposal consideration	าร		
Disposal instructions	Collect and reclaim of contents/container in	or dispose in sealed containe a accordance with local/regio	ers at licensed waste disposal site. Dispose of nal/national/international regulations.
Local disposal regulations	Dispose in accordan	ce with all applicable regulat	tions.
Hazardous waste code	The waste code sho disposal company.	uld be assigned in discussio	n between the user, the producer and the waste
Waste from residues / unused products		is material and its container	Empty containers or liners may retain some must be disposed of in a safe manner (see:
Contaminated packaging			idue, follow label warnings even after container is approved waste handling site for recycling or
14. Transport information			
DOT			
Not regulated as dangerous g	oods.		
Not regulated as dangerous g	oods.		
IMDG			
Not regulated as dangerous g			
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.		
15. Regulatory information	า		
US federal regulations	This product is a "Ha Standard, 29 CFR 1		ed by the OSHA Hazard Communication
Toxic Substances Control A	ct (TSCA)	One or more components or are designated "inactiv	s of the mixture are not on the TSCA 8(b) inventory re".
TSCA Section 12(b) Exp	oort Notification (40 C	FR 707, Subpt. D)	
Not regulated.			
CERCLA Hazardous Substa	nce List (40 CFR 302	.4)	
sodium;hydroxide (CAS 1 SARA 304 Emergency relea		Listed.	
Not regulated. OSHA Specifically Regulate	d Substances (29 CF	R 1910.1001-1053)	
Not listed.			
Superfund Amendments and Re SARA 302 Extremely hazard		1986 (SARA)	
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
ononnoun		perceole liquide or solide)	
Classified hazard categories	Flammable (gases, a Acute toxicity (any ro Serious eye damage	oute of exposure)	
Classified hazard	Acute toxicity (any ro	oute of exposure)	% by wt.
Classified hazard categories SARA 313 (TRI reporting)	Acute toxicity (any ro	oute of exposure) or eye irritation	<mark>% by wt.</mark> 1 - < 3
Classified hazard categories SARA 313 (TRI reporting) Chemical name	Acute toxicity (any ro	oute of exposure) or eye irritation CAS number	
Classified hazard categories SARA 313 (TRI reporting) Chemical name dialuminum;oxygen(2-)	Acute toxicity (any ro Serious eye damage	oute of exposure) or eye irritation CAS number 1344-28-1	

Safe Drinking Water ActContains component(s) regulated under the Safe Drinking Water Act.(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

propane-1,2,3-triol (CAS 56-81-5) Other Flavoring Substances with

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

OSHA PEL's

sodium;hydroxide (CAS 1310-73-2)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name On inventor	ry (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Revision date Version #	05-27-2015 09-19-2022 07
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Malco Products, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.