

This safety data sheet complies with the requirements of: OSHA Hazard Communication Standard (29 CFR 1910.1200)

Product Name: Subaru ATF HP, 12 X 1 Quart Case Product Code: 34070102-75000C020 Revision Date: 05-Feb-2024 Revision Number: 6

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name:

Subaru ATF HP, 12 X 1 Quart Case

Other means of identification

Product Code:

34070102-75000C020

1.2 Recommended use of the chemical and restrictions on use

Recommended Use:

Automotive Lubricant

1.3 Details of the supplier of the safety data sheet

Manufactured by:

24 Hour Emergency Phone Number:

Idemitsu Lubricants America Corporation 701 Port Rd., Jeffersonville, IN. 47130 Telephone: 1-(812) 284-3300 Business hours: 8am-4:30pm est Email: Ila.sds@idemitsu.com

Within USA and Canada: 1 800-424-9300 Outside USA and Canada: + 1 703-741-5970 (collect calls accepted)

2. HAZARDS IDENTIFICATION

2.1 Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin sensitization	Category 1
2.2 Label elements	
Signal word	Warning
Hazard Statements	H317 - May cause an allergic skin reaction
Precautionary Statements - Prevention	P261 - Avoid breathing dust, fume, gas, mist, vapors, or spray P280 - Wear protective gloves P272 - Contaminated work clothing should not be allowed out of the workplace
Precautionary Statements - Response	P362 + P364 - Take off all contaminated clothing and wash it before reuse
Skin	P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P363 - Wash contaminated clothing before reuse P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
Precautionary Statements - Disposal	P501 - Dispose of contents/ container to an approved waste disposal plant
2.3 Other information	
Hazards not otherwise classified (HNOC):	Not applicable
Other hazards	Causes mild skin irritation Toxic to aquatic life Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

3.2 Mixture

Hazardous Components

Chemical name	CAS-No	weight-%	US GHS Classification	Notes
Alkyl ester carboxylic acid	68015-93-0	<1	Skin Irrit. 2 (H315)	
			Eye Dam. 1 (H318)	
			Skin Sens. 1 (H317)	
			Aquatic Chronic 3	
			(H412)	

Non-Hazardous Components

Chemical name	CAS-No	weight-%
Lubricating Base Stocks	Mixture	80-90

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

4.1 First Aid Measures

General Advice	If symptoms persist, call medical treatment.	a physician. Take a copy of the Safety Data Sheet when going for	
Skin Contact		th soap and plenty of water while removing all contaminated clothes ninated clothing before re-use. Call a physician immediately.	
Eye Contact		lenty of water. After initial flushing, remove any contact lenses and east 15 minutes. Keep eye wide open while rinsing. If eye irritation vice or attention.	
Inhalation		Move to fresh air in case of accidental inhalation of vapors. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a physician immediately.	
Ingestion	Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty lean forward to reduce the risk of aspiration. If symptoms persist, call a physician.		
Protection of First-aiders	Use personal protective equipment. Avoid contact with eyes, skin and clothing.		
4.2 Most important symptoms and	d effects, both acute and delayed		
Symptoms	See Section 11 for additional Toxicological information.		
1.3 Indication of any immediate medical attention and special treatment needed			
Notes to Physician	Treat symptomatically.		
5. FIRE-FIGHTING MEASUR	ES		
Flammable Properties		NFPA: Class IIIB Combustible Liquid	
5.1 Suitable extinguishing media		Use extinguishing measures that are appropriate to local circumstances and the surrounding environment	
Unsuitable Extinguishing Medi	Unsuitable Extinguishing Media: Do not use a solid water stream as it may scatter and spread find		
5.2 Specific Hazards Arising from the Chemical Keep product and empty container away from heat and so		Keep product and empty container away from heat and sources	

	of ignition.
Hazardous combustion products	During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and are not limited to: Carbon oxides Nitrogen oxides (NOx) Oxides of Phosphorus Sulfur oxides Calcium Oxides (CaOx)
5.3 Protective Equipment and Precautions for Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists. Use personal protection recommended in Section 8. Ensure adequate ventilation. Remove all sources of ignition.
6.2. Environmental precautions	
Environmental Precautions	See section 12 for additional ecological information. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow into any sewer, on the ground or into any body of water. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.
6.3 Methods and material for cont	ainment and cleaning up
Methods for Clean-up	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceus earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Spill Management	
LARGE SPILLS	Eliminate sources of ignition. Prevent additional discharge of material if possible to do so without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities.
WATER SPILLS	Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
7. HANDLING AND STORA	GE

7.1. Precautions for safe handling

Handling	Do not breathe dusts or mists. Avoid contact with eyes, skin and clothing. Use personal protection recommended in the SDS. Wear protective gloves, protective clothing, eye protection, and face protection. Wash hands thoroughly after handling. Remove
	lace protection. Wash hands thoroughly after handling. Remove

and wash contaminated clothing before re-use. Do not eat, drink or smoke when using this product. Should not be released into the environment.

Safe Handling Advice

Wear personal protective equipment. Do not breathe vapors, spray, or mist. Use product only in closed system.

Keep in properly labeled containers. Keep container tightly closed

7.2. Conditions for safe storage, including any incompatibilities

Storage

Technical measures/Precautions

Ensure adequate ventilation.

in a dry and well-ventilated place.

B. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines

Chemical name	OSHA PEL	ACGIH TLV	ACGIH OEL (STEL)	NIOSHT REL TWA	ILA IHG	ILA ROEG	ILA Internal Exposure Limit
Oil mist, mineral	TWA: 5 mg/m ³	TWA: 5 mg/m ³	-	TWA 5 mg/m ³ ST 10 mg/m ³	-	-	-

8.2 Exposure controls

Appropriate engineering controls Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances. Personal Protective Equipment Eye/face protection Safety glasses equipped with side shields are recommended as minimum protection in industrial settings. If splashes are likely to occur wear tight fitting safety goggles and/or face-shield. Wear protective gloves/clothing. Long sleeved clothing. Choose the appropriate protective Skin protection clothing and gloves based on the tasks being performed to avoid exposed skin surfaces. Glove Type: Neoprene, Nitriles Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. General Hygiene Considerations When using, do not eat, drink or smoke. Clean equipment, work area and clothing regularly.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Physical state Odor Odor Threshold pH Melting point / melting range Boiling point / boiling range Flash Point Evaporation Rate Flammability Limit in Air Explosion Limits Vapor pressure @20 °C (kPa) Vapor density Density Solubility(ies) Partition coefficient Autoignition Temperature	Red / Clear Liquid Mild No information available Not applicable No information available > 174 °C / 345 °F COC ASTM D92 No information available No information available
Autoignition Temperature Decomposing Temperature Kinematic viscosity	No information available No information available @ 40C = 34.88 cSt; @ 100C = 7.33 cSt
Water solubility	No information available

9.2. Other information

DMSO extract by IP346

Less than 3.0 wt% (mineral oil component only)

10. STABILITY AND REACTIVITY 10.1. Reactivity Reactivity The product is chemically stable. 10.2. Chemical stability **Chemical Stability** Stable under recommended storage conditions. 10.3. Possibility of hazardous reactions None under normal processing. Possibility of Hazardous Reactions **Hazardous Polymerization** Hazardous polymerization does not occur. 10.4. Conditions to avoid Conditions to Avoid Heat, flames and sparks. 10.5. Incompatible materials **Incompatible Materials** Strong oxidizing agents 10.6. Hazardous decomposition products Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of	of exposure
Inhalation	May cause respiratory irritation.
Eye contact	May cause slight irritation.
Skin Contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	May be harmful if swallowed.
11.2 Information on toxicological	effects
Symptoms	No information available
11.3 Delayed and immediate effec	ts as well as chronic effects from short and long-term exposure
Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Sensitization	May cause an allergic skin reaction. May cause sensitization of susceptible persons.
Mutagenic effects	Not classified.
Reproductive Toxicity	Not classified
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified.
11.4 Carcinogenicity	
Carcinogenicity:	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC or ACGIH
Legend:	NTP (National Toxicology Program), IARC (International Agency for Research on Cancer), OSHA (Occupational Safety and Health Administration of the US Department of Labor), ACGIH (American Conference of Governmental Industrial Hygienists)
11.5 Acute Toxicity	

11.5 Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Product Information (Estimated):

ATEmix (oral)	> 5,000 mg/kg
ATEmix (dermal)	> 5,000 mg/kg
ATEmix (inhalation-dust/mist)	>5 mg/l

Component Information

Chemical name Oral LD50	Dermal LD50	Inhalation LC50
-------------------------	-------------	-----------------

Alkyl ester carboxylic acid 68015-93-0	> 2,000 mg/kg (Rat)	> 3,160 mg/kg (Rabbit)	-			
12. ECOLOGICAL INFORMATION						

12.1 Ecotoxicity

Ecotoxicity effects

Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Plants and animals may experience harmful or fatal effects when coated with petroleum products. Petroleum-based (mineral) lubricating oils normally will float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway may be sufficient to cause a fish kill or create an anaerobic environment.

Chemical name	96h LC50 (fish - mg/L) (96HLCF)	48h EC50 (daphnia - mg/L) (48HLCD)	72h LC50 (algae - mg/L) (72HICA)
Alkyl ester carboxylic acid	-	101	56
12.2 Persistence and degradability 12.3. Bioaccumulative potential	No information available. No information available.		
12.4 Mobility in Environmental Media	No information available.		
12.5 Other adverse effects:	No information available.		
PBT and vPvB assessment	No information available		

13. DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

Waste Disposal Method	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.		
Contaminated packaging	Dispose of in accordance with local regulations.		
14.TRANSPORT INFORMAT	ION		
DOT	Not regulated		
IATA	Not regulated		
IMDG	Not regulated		

15. REGULATORY INFORMATION

International Inventories

TSCA	All ingredients are on the inventory or exempt from listing
DSL/NDSL	All ingredients are on the inventory or exempt from listing
ENCS	All ingredients are on the inventory or exempt from listing
IECSC	All ingredients are on the inventory or exempt from listing
KECL	All ingredients are on the inventory or exempt from listing
PICCS	All ingredients are on the inventory or exempt from listing
NZIOC	All ingredients are on the inventory or exempt from listing
REACH	To obtain information on the REACH compliance status of this product, please e-mail
	ila.sds@idemitsu.com

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZLOC - New Zealand Inventory of Chemicals

REACH - Registration, Evaluation, Authorisation, and Restriction of Chemicals

USA

Federal Regulations		
	Federal Regulations	

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are above threshold values of the reporting requirements of this Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazardous Categorization

Acute health hazard	Skin Sensitizer
Chronic Health Hazard	Skin Sensitizer
Fire hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CERCLA/SARA 302 & 304 Not applicable

<u>Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)</u> This product does not contain any HAPs > 0.1%.

State Regulations

California Proposition 65

Label:



WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Chemical name	CAS-No	weight-%		Maximum Allowable Dose for Reproductive Toxicity (MADLS)	-
Benzene	71-43-2	<0.00001	Carcinogen Developmental Male Reproductive	24µg/dayoral 49µg/dayinhalation	6.4 μg/day oral 13 μg/day inhalation

State Right-to-Know

Chemical name	CAS-No	weight-%	New Jersey
Alkenyl dicarboxylamide	EPA ACC. 147376	1-5	X

Chemical name	CAS-No	weight-%	Pennsylvania
Alkenyl dicarboxylamide	EPA ACC. 147376	1-5	X

New Jersey Worker and Community Right-to-Know Act:

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. seq., the product is to be identified as follows: PETROLEUM OIL (Automatic Transmission Fluid)

16. OTHER INFORMATION



Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet