Version 1.5 Revision Date 10/01/2023 Print Date 03/21/2025

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP ACCLAIM AB HAND SOAP ANTI-BAC_4-1GL
Material number	:	0000000000314924
Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	Compliance Services - 877-428-9937

Emergency telephone numbers			
For SDS Information	:	Compliance Services - 877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.	
Emergency		In the District of Columbia 202-483-7616	

Recommended use of the chemical and restrictions on use

This product is labeled as an over-the-counter (non-prescription) drug under the Food and Drug administration (FDA) regulations of the United States. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of FDA products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	viscous liquid
Colour	clear, red, orange
Odour	No data available

GHS Classification

Eye irritation	:	Category 2A
GHS label elements		
Hazard pictograms	:	Exclamation mark
Signal word	:	Warning
Hazard statements	:	H319 Causes serious eye irritation.

Version 1.5	Revision Date 10/01/2023	Print Date 03/21/2025
Precautionary statements	 Prevention: P264 Wash skin thoroughly after han P280 Wear eye protection/ face prote Response: P305 + P351 + P338 IF IN EYES: Ri for several minutes. Remove contact easy to do. Continue rinsing. P337 + P313 If eye irritation persists: attention. 	ection. nse cautiously with water lenses, if present and

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
glycerol	56-81-5	>= 1 - < 3
cetrimonium chloride	112-02-7	>= 1 - < 3
Fatty acids, C8-18 and C18-unsatd., compds. with diisopropanolamine	68855-69-6	>= 1 - < 3
N-[3-(dimethylamino)propyl]dodecanamide N- oxide	61792-31-2	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: This product is formulated for use on skin but should always be immediately washed off with plenty of water. Discontinue use if irritation and redness develop. If conditions persist for more than 72 hours, consult a physician.
In case of eye contact	 Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. If in eyes, rinse with water for 15 minutes.
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center. If symptoms persist, call a physician.

Version 1.5	Revision Date 10/01/2023	Print Date 03/21/2025
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delaye Symptoms may include irritation, Causes serious eye irritation. Review section 2 of SDS to see a	redness, pain, and rash.
Notes to physician	: Treat symptomatically. Symptom	s may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	/ chemical am ohol-resistant foam rbon dioxide (CO2)	
Unsuitable extinguishing media	h volume water jet	
Specific hazards during firefighting	not allow run-off from fire fightir urses.	g to enter drains or water
Hazardous combustion products	rbon dioxide (CO2) rbon monoxide ioke rogen oxides (NOx)	
Specific extinguishing methods	e extinguishing measures that a cumstances and the surrounding	
Further information	llect contaminated fire extinguisl st not be discharged into drains e residues and contaminated fire disposed of in accordance with	extinguishing water must
Special protective equipment for firefighters	ear self-contained breathing app cessary.	aratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Material can create slippery conditions. Use non-slip safety shoes in areas where spills or occur. Refer to protective measures listed in sections 7 a	
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so If the product contaminates rivers and lakes or dra respective authorities.	
Methods and materials for containment and cleaning up	Soak up with inert absorbent material (e.g. sand, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	silica gel,

Version 1.5

Revision Date 10/01/2023

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Avoid contact with eyes. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Materials to avoid	: No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
glycerol	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		PEL (Mist - total fraction)	10 mg/m3	CAL PEL
		PEL (Mist - respirable fraction)	5 mg/m3	CAL PEL
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0

Engineering measures	:	effective ventilation in all processing areas	

Personal protective equipme	:	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
Hand protection Remarks	No special protection is required.	
Eye protection	Eye protection is not required while washing with this produ In the workplace, the use of safety glasses is recommende	

Version 1.5		Revision Date 10/01/2023	Print Date 03/21/2025
		avoid eye exposure during the handling during spill clean-up. Remove respiratory and skin/eye protec have been cleared from the area.	
Skin and body protection	:	No special protection is required.	
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the e	end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

.

Appearance	:	viscous liquid
Colour	:	clear, red, orange
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	5 - 6
Melting point/freezing point	:	No data available
Boiling point	:	100 °C
Flash point	:	
		does not flash
Evaporation rate	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Density	:	1.015 g/cm3
Solubility(ies)		
Water solubility	:	completely soluble
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Stable

Version 1.5	Revision Date 10/01/2023	Print Date 03/21/2025
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: No decomposition if stored and app	blied as directed.
Conditions to avoid	: No data available	
Incompatible materials	: No data available	
Hazardous decomposition products	: No decomposition if stored normall	у.

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition Symptoms of Overexposure	 None known. Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Causes serious eye irritation. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed
ACGIH	human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential
OSHA	carcinogen by ACGIH. No component of this product present at levels greater than or
NTP	equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : 3,549 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Skin corrosion/irritation	
Product:	
Result: No skin irritation	

Version 1.5

Revision Date 10/01/2023

Print Date 03/21/2025

Serious eye damage/eye irritation

Product:

Remarks: Irritating to eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water Components:	:	Remarks: No data available
glycerol : Partition coefficient: n-	:	log Pow: -1.76

Version 1.5	Revision Date 10/01/2023	Print Date 03/21/2025
octanol/water		
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, new with a Class I or Class II ODS a Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: An environmental hazard canno event of unprofessional handling aquatic life.	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Version 1.5

Revision Date 10/01/2023

Print Date 03/21/2025

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Serious eye damage or eye irritation
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

Version 1.5

Revision Date 10/01/2023

Print Date 03/21/2025

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information

NFPA:

HEALTH	2
FLAMMABILITY	0
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme

HMIS III:

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Hazard pictograms

Signal word Hazard statements Precautionary statements



Prevention: Wash skin thoroughly after handling. Wear eye protection/ face protection. Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Version 1.5

Revision Date 10/01/2023

Print Date 03/21/2025

Version:	1.5
Revision Date:	10/01/2023
Print Date:	03/21/2025

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.