

**** MATERIAL SAFETY DATA SHEET ****

GC15 - Carb & Choke Cleaner CARB Compliant[SEC 1 - PRODUCT AND MANUFACTURER INFO](#)[SEC 2 - COMPOSITION INFORMATION](#)[SEC 3 - HAZARDS IDENTIFICATION](#)[SEC 4 - FIRST AID MEASURES](#)[SEC 5 - FIRE FIGHTING MEASURES](#)[SEC 6 - ACCIDENTAL RELEASE MEASURES](#)[SEC 7 - HANDLING AND STORAGE](#)[SEC 8 - EXPOSURE, PERS. PROTECTION](#)[SEC 9 - PHYS, CHEM PROPERTIES](#)[SEC 10 - STABILITY, REACTIVITY](#)[SEC 11 - TOXICOLOGY INFORMATION](#)[SEC 12 - ECOLOGICAL INFORMATION](#)[SEC 13 - DISPOSAL CONSIDERATIONS](#)[SEC 14 - TRANSPORT INFORMATION](#)[SEC 15 - REGULATORY INFORMATION](#)[SEC 16 - ADDITIONAL INFORMATION](#)

**** SECTION 1 - CHEMICAL PRODUCT AND MANUFACTURER IDENTIFICATION ****

Product Name: GC15 - Carb & Choke Cleaner CARB Compliant**Part Number:**

GC15

Product CAS: (None)**Product Code:** GC15**Synonyms:** GC15 - Carb & Choke Cleaner CARB Compliant**MANUFACTURER IDENTIFICATION****Name:** Gold Eagle Company**Address:** 4400 S. Kildare Blvd.**City:** Chicago **State:** IL **Zip:** 60632-4372**For information call:** 773-376-4400**Emergency Number:** N/A**Emergency Agency:** INFOTRAC**Agency Number:** 1-800-535-5053**MSDS Effective Date:** 8/12/2005**MSDS Supersedes Date:** 3/1/2013**Miscellaneous:**

Product CAS: Mixture

[Return to top](#)

****** SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS ******

Chemical Name	CAS	MIN	MAX
Acetone	67-64-1	55	55
Propane	74-98-6	13	13
Toluene	74-98-6	13	13

Miscellaneous:

CHEMICAL NAME	LIMIT VALUES		
Acetone	PEL 1,000 ppm		
	PEL 2,400 mg/m3		
Propane	PEL 1,000 ppm		
	PEL 1,800 mg/m3		
Toluene	8 Hour TWA	200 ppm	see table Z-2
	Accep. Ceiling	300 ppm	see table Z-2
	Max. Peak Conc.	500 ppm	see table Z-2
	Max. duration	10 minutes	see table Z-2

[Return to top](#)

****** SECTION 3 - HAZARDS IDENTIFICATION ******

EMERGENCY OVERVIEW:

NFPA: Health: 1 Fire: 3 Reactivity: 0 Specific Hazard: None

HMIS: Health: 1 Flammability: 3 Reactivity: 0 PPE: B

Miscellaneous:

This product does not contain any components above de minimus concentrations that are considered carcinogenic by OSHA, IARC or NTP.

POTENTIAL HEALTH EFFECTS

Target Organs/Primary Route(s) of Entry:

Eye:

Irritant.

Skin:

Irritant.

Ingestion:

Not a likely source of entry or exposure. Can cause gastrointestinal irritation, vomiting, diarrhea and death. Seek immediate medical attention.

Inhalation:

Respiratory irritation and coughing, headache, nausea, fatigue, drowsiness and impaired coordination.

Miscellaneous:

[Return to top](#)

****** SECTION 4 - FIRST AID MEASURES ******

Eye:

If the product contacts the eyes, immediately wash the eyes with large quantities of

room temperature water for at least 15 minutes, occasionally lifting the lower and upper lids. Get medical attention immediately. A follow up visit to an ophthalmologist should be made. Contact lenses should not be worn when working with this chemical.

Skin:

If the product contacts the skin, promptly wash the contaminated skin with soap and water for at least 15 minutes. Get medical attention as required.

Ingestion:

If the product is ingested. DO NOT INDUCE VOMITING. Get medical attention immediately.

Inhalation:

Move the exposed person to fresh air at once and call emergency medical care. If breathing has stopped, give artificial respiration. If breathing is difficult, give humidified oxygen.

Notes to Physician:

No data available.

[Return to top](#)

****** SECTION 5 - FIRE FIGHTING MEASURES ******

Flash Point: -156 F. (-104.4 C.)

AutoIgnition Temperature: N/A

Flammable Limits

Lower Limit: Explosive Limit (LEL): 1.2

Upper Limit: Explosive Limit (UEL): 13.0

Extinguishing Media:

Carbon dioxide, dry chemical, foam and water fog.

Unusual Fire and Explosion Hazards:

Water spray may be ineffective, water may be used to cool container to prevent pressure build up and explosion when containers are exposed to extreme heat.

Special Fire Fighting Procedures:

Use SCBA apparatus operated in pressure demand or other positive pressure mode.

General Information:

Flammable Limits: 1.2 to 13.0

[Return to top](#)

****** SECTION 6 - ACCIDENTAL RELEASE MEASURES ******

Small Spill: Remove sources of heat or ignition, provide adequate ventilation, contain leak using absorbent, inert, non-combustible material.

Large Spill: Contain spill, transfer to secure containers. In the event of an uncontrolled material release, the user should determine if release is reportable

under applicable laws and regulations.

[Return to top](#)

****** SECTION 7 - HANDLING AND STORAGE ******

Handling:

See other sections of MSDS.

Storage:

See other sections of MSDS.

[Return to top](#)

****** SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION ******

GENERAL HYGIENE CONSIDERATIONS:

Use normal hygiene practices.

OTHER PRECAUTIONS:

Product is combustible, handle accordingly.

ENGINEERING CONTROLS:

Local Exhaust: Provide local ventilation to maintain exposure levels below recommended exposure limits.

Mechanical (General): In confined spaces, mechanical ventilation may be required.

PERSONAL PROTECTIVE EQUIPMENT

Eyes/face:

Use splash proof chemical, safety goggles or appropriate full-face respirator. Contact lenses should not be worn when working with this chemical.

Skin:

Use natural rubber or neoprene gloves as required.

Respirators:

Do not use air purifying respirator. Use appropriate NIOSH approved supplied or self contained respirator. Respirators must be selected based on the airborne levels found in the workplace and must not exceed the working limits of the respirator.

Other Protective Clothing/Equipment:

If there is a possibility of exposure of an individual's body to the product, wear body-covering work clothes to avoid prolonged or repeated exposure.

[Return to top](#)

****** SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES ******

Appearance/Odor:

Aerosol

pH: N/A

Vapor Pressure: (MM H): N/A

Vapor Density(Air=1): N/A

Evaporation Rate: N/A

Viscosity: N/A

Boiling Point: N/A

Freezing/Melting Point: N/A

Decomposition Temperature: N/A

Solubility in Water: Negligible

Specific Gravity: 1

Molecular Formula: N/A

Molecular Weight: N/A

VOC Coating (minus water): 0 Lbs/Gallon

Coating Density : 0 Lbs/Gallon

Solvent Density : 0 Lbs/Gallon

Percent Solvent (volume): 0

Percent Solids (volume): 0

Percent Water (volume): 0

Percent Volatile by Weight: 0

Miscellaneous:

% Volatile/Volume: 100.0

Percent Solvent (Volume): N/A

Percent Solids (Volume): N/A

Percent Water (Volume): N/A

Extremely flammable compressed gas aerosol. Vapors accumulation can flash or explode. Keep product away from sources of ignition, oxidizing materials and temperatures exceeding 120 F.. Empty containers contain product residues, assume empty container to have the same hazards as full containers.

[Return to top](#)

**** SECTION 10 - STABILITY AND REACTIVITY ****

Chemical Stability:

Stable: Yes

Conditions to Avoid:

Extreme heat (storage) above 120 F., exposure to extreme heat and application to hot surfaces.

Incompatibilities with Other Materials:

Oxidizing agents.

Hazardous Decomposition Products:

May produce fumes when heated to decomposition, fumes may contain carbon monoxide.

Hazardous Polymerization:

Hazardous Polymerization May Occur: No

[Return to top](#)

****** SECTION 11 - TOXICOLOGICAL INFORMATION ******

No data available.

[Return to top](#)

****** SECTION 12 - ECOLOGICAL INFORMATION ******

No data available.

[Return to top](#)

****** SECTION 13 - DISPOSAL CONSIDERATIONS ******

Dispose of product in accordance with local, state, and federal regulations. Before attempting clean up, refer to other sections of MSDS for hazard warning information.

[Return to top](#)

****** SECTION 14 - TRANSPORT INFORMATION ********Transportation Information:**

Shipping Information (CFR 49 and IMDG):

Proper Shipping Name: Cleaning Compound, N.O.I.

DOT Hazard Class: Consumer Commodity, ORM-D

DOT UN Number: None Required

IMDG Shipping Name: UN1950, Aerosols, 2.1, Limited Quantity (<1000ml/can)

Label Information:

No data available.

[Return to top](#)

****** SECTION 15 - REGULATORY INFORMATION ******

SARA Title III:

Section 302: None
Section 304: None
Section 311: None
Section 313: RQ=5000; Toluene, 108-88-3; Acetone, 76-64-1, RQ=5000.

CERCLA:

Section 311(b)(4): Requires discharges of crude oil and petroleum products in any kind or form to waters must immediately be reported to the National Response Center at (800) 424-8802.

[Return to top](#)

****** SECTION 16 - ADDITIONAL INFORMATION ******

Disclaimer: Information presented herein is believed to be factual, as it has been derived from the works and opinions of persons believed to be qualified experts. However, nothing contained in this information is to be taken as warranty or representation for which the Gold Eagle Co. bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

Prepared by: Mike Profetto

[Return to top](#)