Revision Date 06-23-2016 Revision Number 18



### SECTION 1 Identification of the substance/mixture and of the company/undertaking

Product identification used on label Product identifier

Details of the supplier of the safety data sheet

5198 NOX-RUST® 7703-W Daubert Chemical Company 4700 S. Central Avenue Chicago, IL 60638 708-496-7350 Chemtrec: (800) 424-9300 Corrosion Preventive Compound

Emergency telephone number Relevant identified uses of the substance or mixture and uses advised against

**SECTION 2 Hazards identification** 

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols



GHS Classification	Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 2B Flammable Liquid Category 3 Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3
Signal Word	Warning
Hazard	Flammable liquid and vapour.
Statements	Causes skin and eye irritation
	May cause respiratory irritation.
	May cause drowsiness or dizziness.
Precautionary	
Statements	
Prevention	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

#### Revision Date 06-23-2016 Revision Number 18

Response	IF ON SKIN: Wash with plenty of soap and water.
	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable
	for breathing.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	Call a POISON CENTER or doctor/physician if you feel unwell.
	Specific treatment: None known
	If skin irritation occurs: Get medical advice/attention.
	If eye irritation persists: Get medical advice/attention.
	Take off contaminated clothing and wash before reuse.
	Use dry chemical, water fog, CO2, foam or sand/earth for extinction.
Storage	Store in a well-ventilated place. Keep container tightly closed.
	Store in a well-ventilated place. Keep cool.
	Store locked up.
Disposal	Dispose of contents/container in accordance with
•	local/regional/national/international regulation for hazardous wastes.

### **SECTION 3** Composition/information on ingredients

Chemical Name	CAS #	%
Hydrotreated light distillate (Petroleum)	64742-47-8	50 -70

Note: Specific chemical identities and/or exact percentages have been withheld as a trade secret.

SECTION 4 First alu	incasures			
Inhalation	If symptoms are e and obtain medic	experienced remove source of contamination or move victim to fresh air al advice.		
Eyes	Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.			
Skin Contact	Wash with soap a	and water. Get medical attention if irritation develops or persists.		
Ingestion	Do not induce vomiting and seek medical attention immediately. Provide medical care provider with this SDS. If vomiting occurs, lean victim forward to reduce risk of aspiration into lungs.			
Most important symptoms/effects, acute and delayed	See Section 11			
Indication of immediate medical attention and special treatment needed	Treat symptomatically.			
<b>SECTION 5 Firefight</b>	ing measures			
Suitable extinguishing	g media:	Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire.		
Unsuitable extinguishing media:		Do not use water jet as an extinguisher, as this will spread the fire.		

#### **SECTION 4 First aid measures**

Fire and/or Explosion Hazards Fire Fighting Methods and Protection Hazardous Combustion Products	Revision Date 06-23-2016 Revision Number 18 Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back.Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use appropriate methods for the surrounding fire. Oxides of carbon, Calcium oxides, Sulfur oxides			
SECTION 6 Accidental release measure	25			
Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up	and transfer to appropriate waste containers. Use clean, non-sparking			
	tools to collect absorbed material. Collect and discard in accordance with local, state and national regulations.			
SECTION 7 Handling and storage				
Precautions for safe handling Conditions for safe storage, including an incompatibilities	<ul> <li>Mildly irritating material. Avoid unnecessary exposure. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Wash thoroughly after handling. Do not get in eyes, on skin and clothing. Ground and bond containers when transferring material.</li> <li>"Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.</li> <li>Store in a cool dry place. Isolate from incompatible materials.Keep container closed when not in use. Keep away from heat, sparks, and flame.</li> </ul>			
Incompatible materials	Strong oxidizing agents			
SECTION 8 Exposure controls/persona	l protection			
^ ^ A				
<u>Control parameters</u> <u>Chemical Name</u>	ACGIH TLV ACGIH STEL OSHA PEL			
Hydrotreated light distillate (Petroleum)	200 mg/m3			
,				
handling or us designed to m enclosures, lo	ventilation or other engineering controls are normally required when sing this product to avoid overexposure. Engineering controls must be eet the OSHA chemical specific standard in 29 CFR 1910. Use process cal exhaust ventilation, or other engineering controls to control airborne ecommended exposure limits			
NOX-RUST® 7703-W	Page 3 of 6			

#### Revision Date 06-23-2016 Revision Number 18

Respiratory Protection	Proper ventilation (at a minimum) will be required when handling this product. Use respirators (NIOSH approved) only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator.
Eye Protection	Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses.
Skin Protection	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves	Nitrile

## SECTION 9 Physical and chemical properties (Typical, not specification)

Physical State	Viscous Liquid
Color	Tan
Odor	Petroleum Type
Odor Threshold	No data available
pH	No data available
Melting Point/freezing point, °C	No data available
	No data available
Initial boiling point and boiling	No uata avallable
range, °C	105.0E(41.0C)
Flash Point	105 °F( 41 °C)
Evaporation Rate	No data available
Flammability (Solid, Gas)	No data available
Lower Flammable/Explosive Limit,	No data available
% in air	
Upper Flammable/Explosive Limit,	No data available
% in air	
Vapor Pressure	No data available
Vapor Density	No data available
Specific Gravity @ 25°C	0.86
Solubility in Water	Negligible; 0-1%
<b>Octanol/Water Partition Coefficient</b>	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	Typical 2500 cP
Volatiles, % by weight	61
VOC, lb/gal	4.4
VOC, grams/liter	527.8
	02110

### **SECTION 10 Stability and reactivity**

Reactivity	No data available
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	Contamination. Elevated temperatures.
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	Under normal conditions of use & storage, decomposition and hazardous decomposition products are unlikely.

## **SECTION 11 Toxicological information**

Likely Routes of Entry Target Organs Potentially Affected by Exposure Chemical Interactions That Change Toxicity Medical Conditions Aggravated		Inhalation, Skin contact, Eye contact Central Nervous System No chemical interaction known to affect toxicity. Skin contact may aggravate existing skin disease, Respiratory disease including asthma and bronchitis		
Immediate (Acute) Hea	th Effects by Route of Ex	posure		
Inhalation Irritation		iratory irritation, dizziness, weakness, fatigue, nausea and symptoms include; wheezing and coughing due to pulmonary lungs).		
Skin Contact	Can cause minor skin irritation, defatting, and dermatitis.			
Eye Contact	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.			
Ingestion Irritation	•			
Ingestion Toxicity	Harmful if swallowed.			
Long-Term (Chronic) Health Effects				
Carcinogenicity	There are no carcinogenic	ingredients present at or over 0.1%.		
Inhalation		peated exposure, can cause severe respiratory irritation, ue, nausea, headache and possible unconsciousness.		
Claim Comto at	Unon medan and an managet	ad contract can cause minor strin imitation defotting and		

Skin Contact	Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and
	dermatitis.
Ingestion	Under normal industrial usage conditions, ingestion is highly unlikely.

ngestion	Under normal industrial	usage conditions,	ingestion is	highly unlikely	•

Component Toxicology Data Chemical Name Hydrotreated light distillate (Petroleum)	CAS Number 64742-47-8	<b>LD50/LC50</b> Dermal LD50 Rabbit > Inhalation LC50 (4h) R	2000 mg/kg Oral LD50 R at > 20 mg/L	at > 5000 mg/kg
SECTION 12 Ecological inform	nation			
Overview	No ecological informa	tion available		
Mobility	No data			
Persistence	No data			
Bioaccumulation	No data			
Degradability	No data			
Ecotoxicity Data				
Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish

No data available

# **SECTION 13 Disposal considerations**

Waste Description for Spent Product	Spent or discarded material may be a hazardous waste.	
Disposal Methods	Dispose of by incineration following Federal, State, Local, or Provincial	
	regulations.	
Waste Disposal Code(s)	D001	

Revision Date 06-23-2016 Revision Number 18

### **SECTION 14 Transport information**

Full shipping name for<br/>Export, Air, Sea (any quantity<br/>unless flash pt. >150°F) or<br/>vessels of 119 GL or more<br/>Domestic Ground in vessels <</th>UN1268, PETROLEUM DISTILLATES, N.O.S., (Naphtha Solvent), 3, PG III,<br/>Solvent), 3, PG III,<br/>Non-Regulated119 gal.Non-Regulated

### **SECTION 15 Regulatory information**

### Status of formula components on selected national regulatory inventories:

LIST	STATUS
TSCA	All components in this product are on the TSCA Inventory or exempt.
Canadian DSL	All chemical substances in this material are included on or exempted from listing on the
	Canadian DSL.

Chemical Name No CERCLA-listed chemicals in this	CAS #	Regulation CERCLA	Percent
product. No 313-listed chemicals in this product.		SARA 313	
No SARA 302 EHS-listed chemicals in this product.		SARA EHS	

### **SECTION 16 Other information**

Revision	06-23-2016
Date	
Disclaimer	Although the information contained herein is believed to be reliable, it is furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and storage.
Version	Reviewed
Comments	Approved: M. Longo