

H1BAK1338 NAPA Sil-Glyde Grease 765-1351

MATERIAL SAFETY DATA SHEET

Effective Date: 10-19-93 Revision Date: none

NAPA Sil-Glyde Grease 765-1351

Code: AGS Page: 1

Section 1 - Product and Company Identification

PRODUCT NAME: NAPA Sil-Glyde Grease 765-1351

MANUFACTURER'S NAME:
AGS Company
2651 Hoyt St.
Muskegon Hts. , MI 49444

EMERGENCY TELEPHONE NUMBER
(800)255-3924

MISCELLANEOUS INFORMATION
(616)733-2101

Section 2 - Hazardous Ingredients

Table with 4 columns: HAZARDOUS INGREDIENT, CAS NO., WGT. %, TLV. Rows include Polypropylene Glycol, Caster Oil, Silicon Dioxide, Amorphous, Polydimethylsiloxane, and Oleoyl Sarcosine.

NOTE:

Section 3 - Hazards Indentification

EYES: May cause discomfort.
SKIN: May cause discomfort on repeated or prolonged exposure.
INGESTION: May cause nausea, vomiting and/or diarrhea.
INHALATION: None known.
OTHER EFFECTS: Aspiration into lungs may cause chemical pneumonitis.

Section 4 - First Aid Measures

EYES: Flush with water for at least 15 minutes. Get medical attention.
SKIN: Wash with soap and water. If adverse effects occur consult a physician.
INGESTION: Do not induce vomiting, get immediate medical attention.
INHALATION: Remove person to fresh air. Administer oxygen or artificial respiration as required. Consult a physician.

=====
MATERIAL SAFETY DATA SHEET
Effective Date: 10-19-93 Revision Date: none
NAPA Sil-Glyde Grease 765-1351
Code: AGS Page: 2
=====

Section 5 - Firefighting Measures

FLASH POINT : >400F
METHOD : C.O.C.
AUTO IGNITION TEMP: Not Determined

FLAMMABLE LIMITS:
LEL: Not Determined
UEL: Not Determined

EXTINGUISHING MEDIA: Foam, dry chemical and/or carbon dioxide.

SPECIAL PROCEDURES: Wear self-contained breathing apparatus.

UNUSUAL HAZARDS: None known.

Section 6 - Environmental Release Measures

SPILL PROCEDURE: Scrape up and place in an appropriate container. Remove residue with detergent and water.

Section 7 - Handling and Storage

CONDITIONS TO AVOID: Open flame.

Section 8 - Exposure Controls/Personal Protection

VENTILATION REQUIREMENTS: General acceptable

EYES : Yes
GLOVES : No
CLOTHING : No
RESPIRATORY: No

OTHER: Eye wash in area.

=====
MATERIAL SAFETY DATA SHEET
Effective Date: 10-19-93 Revision Date: none
NAPA Sil-Glyde Grease 765-1351
Code: AGS Page: 3
=====

Section 9 - Physical and Chemical Properties

pH SUPPLIED : Not Determined
pH DILUTED : Not Applicable
WATER SOLUBILITY: Insoluble

SPECIFIC GRAVITY: (Water=1) 1.11  
MELTING POINT : Not Applicable  
BOILING POINT : Not Determined  
% VOLATILES : Nil  
VAPOR PRESSURE : Nil  
VAPOR DENSITY : (Air=1) >1  
EVAPORATION RATE: Nil  
APPEARANCE : Opaque semi-solid, no odor.

=====  
Section 10 - Stability and Reactivity

UNSTABLE AND/OR AUTO REACTIVE: Stable

INCOMPATIBLE MATERIALS: Oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon and silicon.

=====  
Section 11 - Toxicological Information

Not available.

=====  
Section 12 - Ecological Information

Not available.

=====  
Section 13 - Disposal Considerations

DISPOSAL METHOD: Removal by an approved, licensed waste hauler.

EPA WASTE I.D. NO.: Not Reg.

=====  
Section 14 - Transport Information

Not available.

=====  
Section 15 - Regulatory Information

Not available.

=====  
MATERIAL SAFETY DATA SHEET

Effective Date: 10-19-93

Revision Date: none

NAPA Sil-Glyde Grease 765-1351

Code: AGS

Page: 4

=====  
Section 16 - Other Information

TRADE NAME : NAPA Sil-Glyde Grease  
COMMON NAME : Sil-Glyde  
CONTAINER SIZE: Tube, 4 oz.

NFPA: HEALTH : 0  
FLAMMABILITY : 0  
REACTIVITY : 0  
SPECIFIC HAZARD: N/A

HMIS: HEALTH : 0  
FLAMMABILITY : 0  
REACTIVITY : 0  
PROTECTIVE EQUIPMENT: N/A

\*\*\*The information herein is given in good faith,  
no warranty, expressed or implied, is made.\*\*\*