

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS


Issue date: 08/26/19

1 Identification

- **Product identifier**
 - **Trade name: Combustion Leak Tester Fluid**
 - **Part number:** 43709
 - **Application of the substance / the mixture**
automotive exhaust gas detection by means of the coolant system
- **Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
Mastercool Inc.
1 Aspen Drive
Randolph, NJ 07869
USA
Phone: (973) 252-9119
 - **Emergency telephone number:**
1-888-825-6989

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
 - **GHS label elements** Not Applicable
 - **Hazard pictograms** Not Applicable
 - **Signal word** Not Applicable
 - **Hazard statements** Not Applicable
 - **Additional information:** For Professional Use Only
- **Classification system:**
 - **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 0

Reactivity = 0
 - **HMIS-ratings (scale 0 - 4)**

HEALTH	0
FIRE	0
REACTIVITY	0

Health = 0

Fire = 0

Reactivity = 0
- **Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
 - **Description:** Mixture: consisting of the following hazardous components.
 - **Chemical components:** Not Applicable

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 08/26/19

Trade name: Combustion Leak Tester Fluid

(Contd. of page 1)

4 First-aid measures

- **Description of first aid measures**

- **General information:** No special measures required.
- **After inhalation:** Not Applicable
- **After skin contact:** Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention if irritation develops. Consult a physician if necessary.
- **After eye contact:**
Flush eyes with water for 15 minutes. Get medical attention if irritation occurs. If symptoms persist, call a physician.
- **After swallowing:**
Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary
- **Information for doctor:**
 - **Most important symptoms and effects, both acute and delayed**
Symptoms - May cause eye/skin/respiratory tract irritation
 - **Indication of any immediate medical attention and special treatment needed**
Treat symptomatically

5 Fire-fighting measures

- **Extinguishing media**
 - **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** See section 10 for additional information.
- **Advice for firefighters**
 - **Protective equipment:**
Recommend wearing self-contained breathing apparatus. Water may cause splattering.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Avoid eye contact. Avoid repeated or prolonged skin contact.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling** No special precautions are necessary if used correctly.
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Oxidizing agents, aluminum, powdered aluminum, acids**
- **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
See section 10 for incompatible materials.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 08/26/19

Trade name: **Combustion Leak Tester Fluid**

(Contd. of page 2)

- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store in a cool place.
Keep from freezing.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Engineering Controls**
eye wash station
safety shower
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
 - **Personal protective equipment:**
 - **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
 - **Breathing equipment:**
Not necessary if room is well-ventilated.
Use suitable respiratory protective device only when aerosol or mist is formed.
 - **Protection of hands:**



Chemical resistant protective gloves



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
 - **General Information**
 - **Appearance:**
 - **Form:** Liquid
 - **Color:** Dark blue
 - **Odor:** Light
 - **Odour threshold:** Not determined.

· pH-value at 20 °C (68 °F):	8.2
-------------------------------------	-----

- **Change in condition**
 - **Melting point/Melting range:** Undetermined.
 - **Boiling point/Boiling range:** 100 °C (212 °F)

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 08/26/19

Trade name: **Combustion Leak Tester Fluid**

(Contd. of page 3)

· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
· Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
· Organic solvents:	0.0 %
· Water:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity
 - Chemical stability
 - Thermal decomposition / conditions to be avoided:
No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid Do not expose to excessive heat or oxidizing materials.
- Incompatible materials: No further relevant information available.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:
 - Primary irritant effect:
 - on the skin:
May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis.
 - on the eye: May cause eye irritation.
 - Sensitization: No sensitizing effects known.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 08/26/19

Trade name: Combustion Leak Tester Fluid

(Contd. of page 4)

· **Additional toxicological information:**

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** Not Determined

· **Additional ecological information:**

· **General notes:** Generally not hazardous for water

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· DOT, IMDG, IATA

Not Regulated

· **UN proper shipping name**

· DOT, IMDG, IATA

Not Regulated

· **Transport hazard class(es)**

· DOT, IMDG, IATA

· Class

Not Regulated

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 08/26/19

Trade name: **Combustion Leak Tester Fluid**

(Contd. of page 5)

· Packing group	
· DOT, IMDG, IATA	Not Regulated
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** Not Applicable
- **Hazard pictograms** Not Applicable
- **Signal word** Not Applicable
- **Hazard statements** Not Applicable

US

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA 29 CFR 1910.1200 HCS

Issue date: 08/26/19

Trade name: Combustion Leak Tester Fluid

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Contact:** Engineering Department

· **Issue Date** 08/26/19

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

US