



Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.30.2016

Page 1 of 11

Revision date: 09.16.2020

Rim Ease

SECTION 1: Identification

Product identifier

Product name: Rim Ease

Product code: 720, 720-5G, 720-55G

Additional information: Rev 4

Recommended use of the product and restriction on use

Relevant identified uses: Tire lubricant

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

North America

Tech International

200 East Coshocton Street

Johnstown, OH 43031

1-740-967-9015

www.tech-international.com

Emergency telephone number:

United States

CHEMTREC

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1-703-527-3887

SECTION 2: Hazard(s) identification

GHS classification: Not a hazardous substance or mixture

Label elements

Hazard pictograms: None

Signal word: None

Hazard statements: None

Precautionary statements: None

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: Proprietary	Trade Secret 1	<5

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.30.2016

Page 2 of 11

Revision date: 09.16.2020

Rim Ease

CAS number: Proprietary	Trade Secret 2	<5
CAS number: Proprietary	Trade Secret 3	<5
CAS number: Proprietary	Trade Secret 4	<1
CAS number: 111-42-2	Diethanolamine	<1

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention

After eye contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

No significant acute effects

Delayed symptoms and effects:

No significant delayed effects

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Treat symptomatically

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.30.2016

Page 3 of 11

Revision date: 09.16.2020

Rim Ease

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam

Unsuitable extinguishing media:

Do not use water jet

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways.

Discharge into the environment must be avoided

Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13)

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13

SECTION 7: Handling and storage

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages.

Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.30.2016

Page 4 of 11

Revision date: 09.16.2020

Rim Ease

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
WEEL	Trade Secret 4	Proprietary	STEL (15 min.): 2 mg/m ³
	Trade Secret 2	Proprietary	WEEL TWA 10.0 mg/m ³
	Trade Secret 3	Proprietary	WEEL TWA 10.0 mg/m ³
NIOSH	Diethanolamine	111-42-2	NIOSH TWA 3 ppm; 15.0 mg/m ³
ACGIH	Diethanolamine	111-42-2	TLV TWA 1.0 mg/m ³ (8 h exposure limit)
	Diethanolamine	111-42-2	ACGIH TLV TWA: 2 mg/m ³
	Trade Secret 1	Proprietary	8-hour TWA: 5 mg/m ³
United States (California)	Trade Secret 1	Proprietary	8-hour TWA-PEL: 5 mg/m ³
	Diethanolamine	111-42-2	8-hour TWA-PEL: 2 mg/m ³ (0.46 ppm)
United States (OSHA)	Diethanolamine	111-42-2	TWA: 15 mg/m ³ (3 ppm)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

For continuous contact we recommend nitrile gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Comply with the OSHA respirator regulations found in 29 CFR 1910.134.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.30.2016

Page 5 of 11

Revision date: 09.16.2020

Rim Ease

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Blue Viscous Liquid
Odor	Slight Surfactant
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	0°C (32°F)
Initial boiling point/range	100°C (212°F)
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.0
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	120 cps
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.30.2016

Page 6 of 11

Revision date: 09.16.2020

Rim Ease

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Trade Secret 2	dermal	LD50 Rabbit: >2000 mg/kg
	oral	LD50 Rat: 21,000 - 33,700 mg/kg
Diethanolamine	oral	LD50 Rat: 710 mg/kg
	dermal	LD50 Rabbit: 8100 - 12,200 mg/kg

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Trade Secret 4	Causes severe skin burns.
Diethanolamine	Causes skin irritation.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Trade Secret 4	Causes serious eye damage.
Diethanolamine	Causes serious eye damage.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Species	Result
Diethanolamine	Not applicable	There is inadequate evidence in humans for the carcinogenicity of this substance. Cancer in experimental animals: There is sufficient evidence in experimental animals for the carcinogenicity of this substance.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.30.2016

Page 7 of 11

Revision date: 09.16.2020

Rim Ease

International Agency for Research on Cancer (IARC):

Name	Classification
Trade Secret 4	Group 3 - Not classifiable as to its carcinogenicity to humans
Trade Secret 1	Group 3 - Not classifiable as to its carcinogenicity to humans
Diethanolamine	Group 2B

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Diethanolamine	May cause damage to liver, blood and kidney through prolonged or repeated oral exposure.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

Refer to Section 4 of this SDS.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.30.2016

Page 8 of 11

Revision date: 09.16.2020

Rim Ease

Substance data:

Name	Result
Trade Secret 4	EC50 Pseudokirchneriella subcapitata: 0.018 mg/L (72 hr)
	LC50 Coho salmon: 0.032 mg/L (96 hr)
	EC50 Ceriodaphnia dubia: 0.035 mg/L (48 hr)
Trade Secret 2	EC50 Daphnia magna: 43,500 mg/L (48 hr)
	LC50 Oncorhynchus mykiss: 40,613 mg/L (96 hr)

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Trade Secret 4	NOEC - Menidia peninsulae: 0.04 mg/L (28 days)
	NOEC - Rangia cuneata: 0.007 mg/L (15 days)
Trade Secret 2	EC50 Selenastrum capricornutum: 18,100 mg/L (14 d)

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Diethanolamine	Readily biodegradable in water.
Trade Secret 3	Readily biodegradable (74.85% degradation after 28 days).
Trade Secret 2	Readily biodegradable in water.
Trade Secret 1	Readily biodegradable in water.
Trade Secret 1	Readily biodegradable.
Diethanolamine	Readily biodegradable.

Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Trade Secret 3	BCF: 3.162 L/Kg ww
Trade Secret 2	BCF: 0.09; Low potential for bioaccumulation.
Trade Secret 1	Significant accumulation in organisms is not to be expected.
Diethanolamine	Significant accumulation in organisms is not to be expected.

Mobility in soil

Product data: No data available.

Substance data:

Name	Result
Trade Secret 3	Koc at 20°C: 1.857
Trade Secret 1	The chemical has been demonstrated to decompose rapidly in soil.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.30.2016

Page 9 of 11

Revision date: 09.16.2020

Rim Ease

Dispose in accordance with all applicable regulations. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

Proprietary	Trade Secret 4	Listed
Proprietary	Trade Secret 2	Listed
Proprietary	Trade Secret 3	Listed
Proprietary	Trade Secret 1	Listed
111-42-2	Diethanolamine	Listed

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 extremely hazardous substances: None of the ingredients are listed.

SARA Section 313 toxic chemicals:

Proprietary	Trade Secret 4	Not Listed
-------------	----------------	------------

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.30.2016

Page 10 of 11

Revision date: 09.16.2020

Rim Ease

Proprietary	Trade Secret 2	Not Listed
Proprietary	Trade Secret 3	Not Listed
Proprietary	Trade Secret 1	Not Listed
111-42-2	Diethanolamine	Listed

CERCLA:

Proprietary	Trade Secret 4	Listed	100 lb
111-42-2	Diethanolamine	Listed	100 lb

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

Proprietary	Trade Secret 4	Listed
Proprietary	Trade Secret 2	Not Listed
Proprietary	Trade Secret 3	Not Listed
Proprietary	Trade Secret 1	Listed
111-42-2	Diethanolamine	Listed

New Jersey Right to Know:

Proprietary	Trade Secret 4	Listed
Proprietary	Trade Secret 2	Listed
Proprietary	Trade Secret 3	Not Listed
Proprietary	Trade Secret 1	Listed
111-42-2	Diethanolamine	Listed

New York Right to Know:

Proprietary	Trade Secret 4	Listed
Proprietary	Trade Secret 2	Not Listed
Proprietary	Trade Secret 3	Not Listed
Proprietary	Trade Secret 1	Not Listed
111-42-2	Diethanolamine	Listed

Pennsylvania Right to Know:

Proprietary	Trade Secret 4	Listed
Proprietary	Trade Secret 2	Listed
Proprietary	Trade Secret 3	Not Listed
Proprietary	Trade Secret 1	Listed
111-42-2	Diethanolamine	Listed

California Proposition 65:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 06.30.2016

Page 11 of 11

Revision date: 09.16.2020

Rim Ease

⚠WARNING: This product can expose you to Diethanolamine; which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0

HMIS: 0-0-0

Initial preparation date: 06.30.2016

Revision date: 09.16.2020

End of Safety Data Sheet